



In TFH's new book about the Fighting Fish, author Wilfred L. Whitern has done a lot to simplify the care and breeding of splendens. Intended as a guide to both the experienced and beginning Betta fancier, Mr. Whitern's book provides the information most useful from a practical standpoint.

The meat of any book dealing with the Siamese Fighting Fish should be concerned with breeding, and in this respect author Whitern's work excels. The breeding section of BEAUTIFUL BETTAS covers every aspect of importance to the pro-spective Betta raiser. What type of aquarium to use, what type of plants to use, how to condition the breeding pair, how to feed the fry, how and why to decrease the water depth in the breeding tank . . . it's

all there.

The Betta fancier (or the prospective Betta owner) who wants only to keep, not breed, Bettas, will derive a double benefit from the book. In addition to the valu able section on preventing and treating diseases, BEAUTIFUL BETTAS also offers sixteen color pages featuring some of the most striking Betta pictures ever taken.

TROPICAL_FISH

Mike Reed, Edi

Leanard P. Schultz, Advisory Edito Agron Axelrod, Business Manage

Fred Buoni, Art Director Ronald Crenshaw, Art Assist

Contents arch, 1966 (#121) No. 7

EDITORIALLY ...


I have always heard it said, and indeed said it myself on many occasions, that a judge who has to pick a winner from thirty entries at a fish show could make himself one good friend and twenty-nine bitter enemies. Last year I had the honor of being a judge at three shows, one in Dallas, Texas, one in Hutchinson, Kansas, and the oth-er in Pittsburgh, Pennsylvania. I hope I didn't make myself any enemies. I made a very special effort to be ab-solutely fair and impartial. An entry, let me hasten to say, is strictly an entry, and should not even carry the name of the exhibitor. It is very important for a judge not to have any knowledge at all as to who owns that big, beautifully colored pair of guppies. This allows him to evaluate them strictly as an entry. Not that any judge worth his salt would ever let who owns fish be a factor in his decisions. Be that as it may, I have met a great many fish fanciers in my travels and consider myself a very lucky person to have It brought home to me that my opening statement is not often so at all. I have made many, many friends, and if there were any enemies, I don't know of them. What I find is that people do not, as a rule, question a judge's decisions; they may sometimes want to know how the decisions were arrived at, not to take issue with them but to know what to avoid in shows to come. This is a healthy attitude, and whenever possible I try to give a short commentary for the exhibitor's guidance.

William Vorderworkh

Is the fact that TetraMin is made by the world's largest tropical fish food manufacturer good enough reason for you to buy it?



ding—the finest diet buy. TetraMin: It no ids water. In 10



The colors of the male **Epiplatys nanulatus** are truly exciting. Note the tail and darsol fins. Photo by E. Roloff.

Epiplatys annulatus

Epiplatys annulatus was described in 1915 by Boulenger from two specimens which were caught in Sierra Leone, West Africa, near Matca and each had a total length of only some 16 mm. It was not until 1955 that this beautiful fish was first brought alive into Europe by the Belgian scientist J. Lambert. Unfortunately these fish, which were collected near Conacry (Guinea, West Africal), soon died, because the aquarium water offered them was not suitable. I myself searched vainly for *E. annulatus* on my expeditions to Sierra Leone in 1962 and 1963. Not until recently did my friend Mr. A. Todd, whom I had told about this fish, succeed in finding 11 specimens of *E. annulatus* in the Kasewe Forest of Sierra Leone. He sent me five living specimens, A short time later E. annulatus were also found by the Danish zoologist Stenholt Clausen near Monrovia (Liberia), and several living specimens were sent to Col. J. J. Scheel in Denmark. At about the same time a Dr. Benl received some which had been caught near Conakry (Guinea) and put them at a Dr. Foersch's disposal for an attempt at breeding them.

It is an extraordinary coincidence that E. annulains, which had been sought for so many years, should show up at about the same time in three different

West African countries and be successfully introduced into Europe.

In order to become better acquainted with the habitat of E. annulatus, I



male Epipletys annulatus lacks the fin devi e male but is still the most attractive of all

searched Kasewe Forest in Sierra Leone on Easter, 1965, along with my friend A. Todd. In contrast to the places in Liberia and Guinea where they were found, which lay in the open coastal savannahs, we were able to find E. annulatus here in an almost-dried-out river in the forest. The waters were shaded by old trees. Large rocks, which were covered by underwater ferns, stuck out of the water. Doubtless these rocks are flooded by the water during the rainy periods. My visit was at the end of the dry season. At this time, most small bodies of water in Sierra Leone become completely dry. The water in which E. annulatus occurred had a temperature of 78° F. Thanks to a water resting kit we had brought with us, the pH was found to be 6.7 and the hardness 5 DH. During the rainy season the hardness is probably a good deal less.

In the slow-flowing water of the river there were found large quantities of young fishes of many small species, which because of the shortage of food were suffering a miserable existence and were very emaciated. The greatest were suffering a miserable existence and were very emaciated. The greatest number of these fishes seemed to be Nevlebias unifacians, which had attained a size of only ½ 10 ½ of an inch. This comparatively unattractive fish normally reaches a size of about 1½ inches. It prefers the middle and lower parts of the aquarium. Right below the surface there swam huge swarms of an Epiplatys species, which seemed to be E. bifasciatus or a closely related species. These fish were 4 to 1 inch in length, and were probably capable of species. These fish were \(\frac{1}{2} \) to I inch in length, and were probably capable of doubling this size when fully grown. Now and then we noticed some small silvery dots among the \(\frac{Ppiplarys}{2} \) warms. These were our coveted \(E. \) annulatus, easily recognizable by the silver region atop their heads, which makes them relatively casy to pick out and catch. They had a size of I\(\frac{1}{2} \) to I\(\frac{1}{2} \) inches and were much in the minority compared to the other fish species. Here I also found some larger specimens of \(Epiplarys fasciolans, \) which were well nourished because the vast numbers of young fishes in these waters gave them easy hunting. I caught about 50 specimens of \(E. \) annulatus, which because of the poor food conditions were scarcely transportable and died before or during their voyage to Germany

Those that were caught by Mr. Todd in the same place-with the exception of one specimen-averaged a length of about 15 inches. In my aquarium, they grew quickly and in a short time had already attained the same size as their uncles and aunts that had been left in the river. This is an indication that growth in the last months of the dry period becomes greatly retarded. It is, therefore, no wonder that in old scientific descriptions, the sizes given for fish species caught in Sierra Leone are usually too small. As a rule, during the dry season one finds young and half-grown specimens, but the short-lived Aphysication species (for instance, Aphysication) are an exception. Most fish species do not attain maturity until the rains begin. But during this time the capture of fishes is difficult because of the great quantity of water. (Oddly enough, when the rains have stopped one

finds very few grown specimens.)

In the summer of 1965, I effected an exchange with Col. J. J. Scheel and Dr. Walter Foersch, which gave them some of my E. annulatus from Sierra Leone and gave me some from Liberia and Guinea, in order that I could establish the color differences between the three different varieties.

The fin coloration in the males of the three groups differs strongly. The

form from Liberia has red parts in the anal and caudal fins. Besides, the pectoral fins are colored red. The ones from Sierra Leone have red markings in the forepart of the dorsal fin and in the caudal fin, besides which there are two gleaming bluish-green horizontal stripes that stand out particularly well. In the form from Guinea, the red coloration is confined to parts of the caudal fin and the tips of the pectorals, while the forepart of the dorsal fin and back part of the anal fin show yellow to orange markings which do not stand out

Aphyosomian sjoestedti is ose of the short-lived aphyosomians that are also caught in Sierra Leans. Photo by Dr. Herbert R. Axelrad.



Tropical Fish Hobbyist



March. 1966

very intensely. This comparison shows clearly how greatly the colorations of some fish species can vary when the isolation of their habitats can lead to new color variations. This example also shows, however, that more or less great deviations in color does not give one the privilege to designate a fish as a new species without making thorough genetic studies, as has in the past

been done frequently with Aphyosenion species.

Breeding E. annulatus in the aquarium poses no great problems. Eggs are laid among the roots of floaring plants and the leaves of Myriophyllum. Compared to other Epiplatys species, there are fewer eggs laid, and they are smaller. The young, which hatch in barely 2 weeks, are so small that for a week they must be fed with unfusoria or its equivalent before they are in a position to accept freshly hatched brine shrimp. Later they can be fed with

bosmina and cyclops.

My E. annulatus were kept at a temperature from 74 to 78° F., which is also sufficient for breeding them. The water measured about 7 DH and had a pH value from 6.5 to 7.0.

E. annulatus is the most beautifully colored of the Epiplarys species I have yet run across. Because of their tiny size, they should not be combined with other species. My largest male attained a size of 1½ inches, while the females got to be barely 1½ inches long. The rarity of E. annulatus in its home waters can be explained by the fact that because of its tiny size it makes an easy prey for larger fishes. In the Kasewe Forest, the large numbers of other young fry seem to have protected it from extinction.

HARALD SCHULTZ DIES

On January 8, 1966, the world lost a great ethnologist, talented aquorist, and wonderful man, Harald Schultz. He died in São Paulo, Brazil, of a cerebral hemorrhage, at the age of 56.

Mr. Schultz was assistant curator of the Department of Anthropology at the São Paulo State Museum and served this magazine in the capacity of expedition chief, Since 1942, he made annual expeditions into the Brazilian interior where he lived with many little-known Indian tribes. He studied their language, customs, culture and everything he could learn about, often living with very savage tribes that had never seen or even heard of a white man. It is a great credit to the man's friendly, personable nature that he was accepted by these flerce, warlike tribes who would normally look upon a white stranger as a dangerous enemy. His studies did not stop at analyzing the people; he was intensely interested in the fish life he found in the streams wherever he weat, collecting many species that were new to science. A good number were named in his honor. Many of his articles on tropical fishes and Indian legends pertaining to tropical fishes have appeared in this magazine over the years.

the years. He leaves his wife, Vilma, and a son, Alexander.



More About My Trip to the Red Sea

BY DR. WOLFGANG KLAUSEWITZ Frankfurt, Germany

In my previous article in Tropical Fish Hordinian, My Trip to the Red Sea, I covered the details of why five specialists of the Indian Ocean Expedition (including myself), while aboard the research vessel Meteor, decided to do



THE MILFORD AQUARIUM BACKGROUND UTILIZES NATURE'S **MATERIALS**

THE ULTIMATE IN BACKGROUNDS

The above picture cannot possibly show the full beauty of the Milford Aquarium Background. Once it is placed incide the squarium and the lights are braned on, the background becomes an impressive wall of shole, a mixture of both subtle and hold natural colors and diggs. It is so elegant, so intractive that the texts looks beautiful even before six, plants, and aranaments are added, And the background is specially made to be trouble-free. The shale will not react with the aquarium water and is bended together firstly with convenctive plastic to that it will not come apart. Saids support is achieved as top with post imple-but-tranged lips, so bothen by the notival support of builtup gravel or send. Special spange-plastic thips keep fish from gaing behind-background.

Hit of the Notioned Association of the Pet Industry shaw: Over

Hit of the Notional Association of the Pet Industry show: Ours the businst booth at the last NAFI show. We wrote many orders, and have had many, many repect orders since. Some actual comments were—"Magaificant!" "Terrific!" "Perfect Background!" Anyone that sees it cannot help but went it in their equarium.

MADE FOR TANKS 2 ½ to 125 gallons in capacity. Special sizes on request.

MILFORD SPECIALTIES CO. 55 ESSEX STREET HACKENSACK, N. J. 97601

Tropical Fish Hobbyist

our research from the island Sarso of the Red Sea. I also gave comparisons of Red Sea and Indian Ocean fish species. Now I would like to tell you about some of the unusual sea life that inhabits the Red Sea around the coastal zone of Sarso.

In reports from tropical seas one always reads about the fascinating shapes In reports from tropical seas one always read about the teachmany of coral rec's and the gorgeous coloration of coral fishes. Of course, to swim around along a reef is one of the most fascinating experiences in life. But believe me, the coastal zone is also worth studying and describing. During the stay of the "island group" of the German expedition, I studied the different so-called physiographical zones between the shore and the outer


the different so-called physiographical zones between the shore and the outer reef. I can, therefore, tell you that the region between the coast line and the reef is neither a uniform nor a monotonous zone, and that corals grow just along the shore. Some portions are rocky, others sandy. Some have sea grass and sea weed or other algae; only the outer part of the region is grown high up with corals as a reef which forms a living wall. The bottoms of these zones, their plants are the fell the grown in the region is grown to the property of the property o their plants, and the fishes one sees in them are different and characteristic. Real coral fishes and the greatest part of the reef fishes are not found around the sea weed, and the typical inhabitants of the sand zone are not seen around the rocks.

Amongst the funniest fishes of the sand zone are the gobiids that live in a Amongst the luminest uses of the sain of the act of some act the genes symbiotic, or cooperative, system with shrimp. The fishes belong mostly to the genus Cryptocentrus, the shrimp to Alpheus. The fish and the shrimp live together in a hole. Usually the goby lies outside the hole, just in front of

The gobiid fish Cryptocentrus (ceruleopunctetus (top) and its symbiotic shrimp Alpheus djiboutensis (bottom), Photo by Dr. W. Klausewitz.



March, 1966





the entrance, and watches for prey. His diet consists mostly of plankton that drifts along with the current. The shrimp remains within and has the task of keeping the joint apartment clean. The current and the waves of the sea sometimes demolish these holes, and the shrimp has to shovel out the fine sometimes definished these looks, and the same place is a send and carry out gravel and little stones. But the shrimp always stays in direct contact with the fish. Should a large fish, a diver, or any other potential danger appear, the goby warms the shrimp, which disappears instantly into the hole. The fish slowly backs up, but it watches the "trouble maker" and waits until the last moment before darting into safety. At night both remain

waits until the last moment before darting into safety. At night both remain together in the hole. It is a real symbiosis; the fish always has a clean livingroom, and the shrimp gains security and perhaps some food from the goby.


Along the coast line one finds still other examples of unusual behavior.

Normally fishes live in water, and once outside they must die. There are only a few exceptions: the freshwater lungfishes of tropical areas, the mudskippers (Periophthalmus), and a few related forms which in former times belonged to the gobild fishes. Along the Red Sea coast there lives another species which leaves the water. It is called *Lophalicus kirkii magnusi*, and it belongs to the blenniid fishes. There are some other species of the same family with the same tendency toward amphibian life, but they leave the water only during the night, or they stay in small wet holes during the low

Get two filters in one! the J. JONES combination filter



This cutaway diagram of the installed filter shows how it works. Water flow is indi-cuted by arrows.
Water is filtered first through gravel. Then i enters the upper portion of the inside of the inside filter, passes down through the glass woo and charcoal for its second filtering, and



You Get All These Advantages And More

- 100 test All These Advantages And more
 1—Double filtration for sparkling water in which fish thrive.
 2—The least-recrubbing biological purification of an undergravel filter.
 3—The effective mechanical waste and gas removal of an inside filter equipped with glass wood and charcool.
 4—Use of a simple air-lift tube that can be run by any pump.
 5—No siphone to start and to get in the way of agrarium hoods and covers.
 6—Can be used in breeding and fry tanks, because it and tuck fry up.

Dealers-for more complete information, write on your letterhead.

J. JONES PET PRODUCTS, 4303 MARLBOROUGH, DETROIT, MICH. 48215

Tropical Fish Hobbyist



This is the goby Cryptocentrus luthers. Photo by Dr. W.

tide. But L. kirkii magnusi usually remain out of the water. These fishes need a rocky coast, for they always sit on a rock a few inches above the They wander with the rise and drop of the tide. But they do not dive. In case of danger, they fall down into the water but jump instantly back upon the rocks, reaching by this method of locomotion another spot on the coastal rocks. They are able to climb on the vertical wall- and ceiling-like parts of the stone. To accomplish this they use their pectoral, anal, and ventral fins. When undisturbed, they graze with their large mouths and many small teeth



There Is No Substitute For Quality NATURES FROZEN



Actual Size of 1 1/2 az. Package,

MIX is Available in Those Sizes:

1 1/2 ounce 3 ounce - Complete Line of Other Frezen Fish Foods. Choice of Seven. Also - - Live Foods Available

FISH LIKE VARIETY. SUPER MIX HAS IT! SUPER MIX has different SUPER MIX has different kinds of insects created by nature. Tropical fish by nature. Tropical fish by nature. Tropical fish by nature. Tropical fish what they live environment. No need to clutter ment. No need to clutter ment. No need to clutter with up your freezer packseveral different packseveral different packseveral different packseveral different when all ages of food when all you need is one

FOOD

WANTED BY

AQUARISTS EVERYWHERE

For Livelier,

Fish!

Faster-Growing and More Colorful

SUPER MIX. TRY IT TODAY! Let your fish be the

Dealers — Write for Price Ust on your letterhead. NATURES FROZEN FISH FOOD CO.

18

on the tiny green algae that live on the rocks. One necessity for their lives, however, is that the stone must be wet, and that sometimes spray from the waves must hit them and keep their bodies wet. It is this that dictates that they must wander along the rock walls with the changing surface of the tide. At some points one can find hundreds and thousands of these small blennies (they are only about 2 inches long). Yet, despite their great frequency, this energies was first described only a few years say.

L. kirkii magnusi has many enemies. During the daytime various herons and other water birds stalk about looking for them. Furthermore, there are large crabs that prey on these blennies. At night other crabs come, as do some cuttlefishes of the genus Octopus, to catch the blennies. Also, land snakes come down on the rocks, go into the water along the coastal line, and prey on them. But, despite their many enemies, their unusual life seems to have enough survival advantages, for one can see them in great populations. How do they live outside the water? How do they breathe? What modifications do they have in their bodies for this special mode of life? How do they climb the wet rocks? How do they breed and hatch? Where do newly born and young specimens live? All these are very interesting but unsolved questions. To answer at least some of them was one of our tasks during our time on the island Sarso in the Red Sea.

The greatest number of the fish related to these blennies live well under the surface around the coral beach. Here also live many well-known coral fishes belonging to the families Pomacentridae, Chaetodontidae, Pomacanthidae, Acanthuridae, and some others. But it is a great error to believe

This is a new species of snoke. It was collected on the coast of the island of Serse. A short time ago it was described by Prof. Merten: as Caluber Insulanus. It eats mostly the little binaries of the rocky shore line. Photo by Dr. W. Klousewitz.



and the same



CONFUSED

BY CONFLICTING FILTER CLAIMS?

READ THIS BEFORE BUYING ANY FILTER!

4 well-known outside filters VS SC	CATTE	RGOOD	FI	LTERKIN	G DELUXE
	G	н	L	W	FILTERKING
PATENTED Air Lift	NO	NO	NO	NO	YES
SELF-ADJUSTING Siphon	NO	NO	NO	NO	YES
RUBBER BULB instant-starting siphon	NO.	NO	NO	NO	YES
FULL SIZE all-molded tank	NO	NO	NO	NO	YES
SELF-CLEANING by backwashing	NO	NO	NO	NO -	YES
Full range of INTERCHANGEABLE stems	NO	NO	NO	NO	YES

OUTPERFORMS ALL OTHER OUTSIDE FILTERS! YEARS-AHEAD DESIGN IS FIRST CHOICE OF UNIVERSITIES. LEDORATORIES, EXPERIENCED DEALERS — YOU, TOO! WHEN YOU WANT A REAL FILTER, ASK FOR A SCATTERGOOD, THE WORLD'S FINEST!

4 well-known un	dergravel	filte	rs VS	SC	ATTERGOOD	FILTERKING DELUXE
	E	н	M	W	FILTERKING	
STUNTS PLANT GROWT	H VES	VES	VES	YES	NO	-0

WATER DISCOLORS YES YES YES YES NO DUTPERFORMS ALL UNDERGRAVEL FILTERS A SCATTERGOOD operates as WATER CONDITIONING plant, circulating water through a deep bed of activated carbon — the same principle justed to provide thair quality dishing water. When cleaning is yequired, ONLY THE FILTER TANK is removed and carbon backering, thus PERMARKENTLY DISPOSITION or accumulated dishing water.

Contrast with undergravel filters, which operate on a SEWAGE DISSOSAL principle — NO DIRT is entowed, but instead is constituted in the gravet. Periodically regardless of claims to the contrast, THE ENTIRE PLAYIED AGUARIUM MUST BE DISMATELD AGUARIUM MUST BE DISMATELD and the gravet cleaned.

SCACO ACTIVATED CARBON. The wonder-working carbon that SCATTERGOOD filters are designed to use. Gives water so clear that the fish seem suspended in space Enormously more effective than bone charcoal, as proved by faboratory tests.

NO OTHER FILTER OF ANY TYPE IS "JUST AS COOD" AS A SCATTERGOOD DESIGNED AND MANUFACTURED ONLY BY SCATTERGOOD FILTERS CO.



March, 1966

that all these fishes are brilliantly colored. Also, the corals are not bright in color. Their dominating tones are gray, green, and brownish. Only the tips of the branches and the (mostly nocturnal) polyps are rosy red or bluish. Of the fishes living in this habitat about 70 to 80 percent are rather dull. Only a rather small number of the remainder are really brightly colored. There is a biological significance: rare fishes have striking colors or patterns. Solitary-living fishes with great distance between individuals also do, as do those adult fishes living in monogamous couples for their whole lives (i.e. many species of the genus Chaetedon). All those fishes that have difficulty finding other individuals of the same species, for instance at mating time, or that have the tendency to keep together in small groups (i.e. couples or schools with few individuals) have conspicuous coloration. All the other species are usually rather dull.


Very often one gets a wrong impression from a fish in an aquarium: due to the small distance from the observer and due also to the artificial illumination of the tank, such a fish often has a rather bright image. Also such a fish might have lost much of its brilliance in its natural surroundings, for a great part of the portion of sunlight that contains reddish and yellowish rays is filtered off by the water. Therefore it is very difficult to make exact statements about the significance of the coloration (or, incidentally, the special behavior) of those fishes one knows only from aquarium observation.

The Red Sea is one of the hottest parts of the world. But in wintertime the thermometer drops to about 80 F. Usually a European feels happy in such temperatures. But at Sarso there was a great deal of rain, many real storms, strong currents, and high waves. On some days it was impossible to swim in the water, despite the fact that we had chosen a rather well-protected place. Out in the Guif of Aden, the research vessel Meteor, on which we had come, had to fight with a considerably high wind velocity. When she returned to pick us up it was impossible for her to go through the small channels to reach our island. She anchored 10 miles away, in deeper water, and sent her rescue boats for us. On our way back to the ship, we had to fight against the high waves for more than 3 hours. But—"good to begin well, better to end well"—we reached the ship wet, but safely.

One week later we had the opportunity to see our islands once more, but this time from a high altitude in an airplane. The captain of a plane we took on the way from Aden to Cairo agreed to make a little turn so that we could see the Farasan group from above. Once more we studied the reefs and the shallow and deep water around the islands, and we got a good impression of the whole area.

Meanwhile, the collected fishes, corals, and fossils from those islands

Meanwhile, the collected fishes, corals, and fossils from those islands reached our museum at Frankfurt. We soon started with our scientific work. And you, dear hobbyist, got the first report on this expedition both here and in my previous article, My Trip to the Red Sea.




the female below. Photo by W. L.

A New Platy from Mexico*

BY WILLIAM VORDERWINKLER

Platies and swordtails are among the most popular of all the livebearing fishes known to aquarium hobbyists, as all but the least initiated of us know. All these fishes are in the genus Xiphophorus, and most of them come from Mexico. There is of course the famous swordtail, Xiphophorus helleri, and Mexico. There is of course the ramous sworeaust, **xiphophorus neuters, and the common platy, *X. maculatus.** Then there is the sunset platy, *X. variatus and its little-known subspecies *X. variatus **xiphidium**. You may never see *X. mon'entonae, *X. couchianus and *X. pygmaeus* unless you have access to the preserved specimens in museum collections. The rarity of these species among aquarium hobbyists is not so much because they are scarce in their

Thanks are due to Robert Rush Miller, W. L. Minckley, and The American Society of Ichthylologists and Herpetologists for allowing us to draw upon information published in the 1963. No. 3 issue of COPEIA in the article entitled "Xiphopherus grodini," A New Species of Phatyfish from Coahula, Mexico" and to use the black and white photo of X, gudoni which appeared originally with that article.



the revolutionary new Miracle Add-A-Valve, you get unlimited ity in creating custom-made gangs xactly the number of air outlets

ou want. only the specially made Miracle Nylon dd-A-Valve offers all these advantages: he Ahility To Custom-Create Gang

Vaives - Absolute Airflow Control (No need for constant aljusting.) - Can't Introduce Metal Poisons To Your Aquarium Less Expensive (Nylon, which dees the job hetter than metal anyway, costs less.) - Guuranteed Corrosion-Proof. Buy the Miracle Nylon Add-A-Valve at your local pet shop.

MIRACLE PLASTICS CORP. CHANGE BRIDGE RD., PINE BROOK, N. J.

Tropical Fish Hobbyist





March, 1966

native waters but because although they have a certain amount of color and

native waters but because although they have a certain amount of color and are doubtless interesting, only a very few would bother to keep them when there are so many more beautiful types available.

Relatively recently another species has made an appearance, one which is probably destined to take its place among those never kept in aquaria. This is Xiphopherus gordoni, named after the late Dr. Myron Gordon, who did a great deal of work on this and other livebearing groups. This species seems to be not in a probably any region, the Custom Cifereas hasin of central Coabulia. Mexico. Here it has been found in the Laguna Santa Tecla, which is located in the southeastern end of the valley of Cuatro Cienegas. Here they were not found in the open waters, but in spring-fed feeder ditches which drained into

tollic in the open waters set in 5,5mg.

In the aquarium, the colors of this fish leave much to be desired. However it probably interbreeds readily with the other Xiphopherus species. What the results would be if they were hybridized with, for instance, the many color varieties of X. variatus, is anyone's guess. Perhaps in this way it will be a valuable fish some day, and this fact plus its membership in a genus popular with aquarists makes it worthy of mention in this magazine.

Please Mention T.F.H. When Writing to Advertisers



No Fuss!! No Muss!! No Bother . . .



When you feed your valuable aquarium fish Wardley's unique food treat

TUBIFLEX

LOOKS LIKE ... ACTS LIKE .. REAL LIVE WORMS!!!

NO REFRIGERATION REQUIRED. WON'T CLOUD AQUARIUM WATER!!

Retails for only 590

WHO KILLED TOMMY THE TURTLE???



WARDLEY'S PUTS THE LID—a plastic lid, that is—on it's new TURTLE TANK PAC—makes your turtle's home an ESCAPE PROOF, TEMPERATURE CONTROLLED, PLEASURE PALACE FOR YOUR PET TURTLE.

- Wardley's Turtle Food Wardley's Sturdee Shell Conditioner
- Wardley's Turtle Mineral Block-puri-fies as it deodorizes.

 Turtle Care Booklet

ALL YOU ADD IS THE TURTLE!!!!

All for only 98¢

Little bits of learning . . .

The Amazing Planarian Worm

BY DOROTHY CLASS WILLIAMS

Many people who raise tropical fish have discovered small, wormlike animals in their tanks and have become alarmed, thinking that these animals might be harmful to the fish. The animals are planarian worms, or flatworms, and are actually harmless. Despite the fact that these little creatures inhabit many aquariums, few aquarists know anything at all about them. They are fascina-ting creatures, and have more value than is at first apparent. Most interesting, they are being used in scientific experiments to find out if such a low form of life is capable of learning.

Many experiments to determine the learning ability of animals have been

performed with vertebrates, but only recently has there been any work done with lower forms of life, such as planarians. Planarians, or flatworms, are the most primitive of all wormlike animals, and are also the first animals with heads. They are of the phylum Platyhelminthes, the first part of which is from the Greek word "platy" meaning flat, hence the name "flatworm." They are usually form one-eighth to one-half inch is length and have a blunt, triangular anterior end and a capering body. The body is usually patterned with dark pigment. On the top of the head are two black eyespots which are not eyes as we know them, because they cannot distinguish definite shapes,


but can differentiate only between light and dark. Because they appear to be crossed, these "eyes" give the animal a great deal of personality. Planarians are regenerative animals, that is, they are able to regrow entire animals from only small portions of their bodies. They will easily accept tissue transplants from other planarians, and they can grow entire new brains if the original one is removed. Planarians are very likely to be contemporary representatives of an ancient animal form. It is possible that the higher invertebrates and also the vertebrate animals evolved from this animal or close ancestors of it. Because of its nearness to antiquity, and also because of its regenerative powers, the lowly flatworm has been the object of extensive research and experimentation. It was thought that perhaps such an animal (with a brain that could be regenerated and transplanted) might be trainable and thus help to expand the information gained from learning experiments already done with higher vertebrates such as rats and dogs. These experiments, if successful, would also help clarify the relationship between higher and lower forms of life.

Several experiments with planarians have seemed to indicate that the animals can exhibit attitudes that in man are called emotions, such as fear.

A mechanical stimulus with a hair or fine glass rod to one side of a planarian

will bring either a positive response (the worm turns toward the point stimu

GET ACQUAINTED



The ENCYCLOPEDIA OF TROPICAL FISHES by Axelrod and Vorderwinkler is the largest, most complete book on aquarium fishes ever published in any language. It has more than 760 pages with about 600 monochrome photographs and 300 color photographs. Every phase of the aquarium hobby is completely covered and there is special emphasis on how to breed aquarium fishes. Chapters on Commercial Breeding, Aquarium Plants, How to Feed your Fishes, Diseases, Snails and Scavengers, plus many others, covers points never before considered by other books. More ENCYCLOPEDIAS have been sold since its publication than any other book on tropical fishes. Due to the large printings its cost is amazingly low . . . only \$8.95 at your petshap or bookstore.

ated) or a negative one (the worm turns away from the point stimulated). Usually a worm will react positively to a weak stimulus and negatively to a strong one. If the planarian is stimulated again and again by an agent that proves injurious in the long run, the worm's reactions will become consistently negative and very rapid and strong. The worm seems to be trying to get away from the harmful stimulus. In higher forms of life, including man, this type of reaction is associated with the emotion of fright.

"Classical conditioning" experiments also point to the idea that the difference between higher animals and lower organisms is not so great as most people seem to think. Such experiments, similar to those done with vertebrates, have been done with planarians since before 1956. A classical conditioning experiment is a learning experiment in which some stimulus, such as food, acts as the "unconditioned stimulus." This means a stimulus that normally, without training, evokes a response from the subject-animal. As an example, salivation is the normal response of a dog to food. Before the unconditioned stimulus is presented, a conditioned stimulus is presented. For example, the sound of a buzzer precedes the food for the dog. After a number of trials, the conditioned stimulus evokes the same response as the unconditioned response. Thus the dog salivates at the sound of the buzzer. This stimulus-reaction series is obvious in higher animals (i.e. the salivating dog), but it is also found in lower organisms such as planarians. Before 1956, Robert Thompson and James V. McConnell performed a classical conditioning experiment with planarians at the University of Texas. They shined a strong light on a planarian. The animal's normal response to this unconditioned stimulus was to stretch itself. Several seconds after the light was turned on, the planarian was given a mild electric shock. The worm's normal response to this stimulus was to either turn its head or contract. After repeating this trial about a hundred times, with the shock following the turning on of the light, the response of the planarian was modified. Then, when the light was turned on, the worm would either contract or turn its head. This seems to prove that planarians are capable of reacting in the same way as higher animals when placed in the same position of reacting to a stimulus. The planarians just described seemed to "remember" what had happened before and reacted according to what they "learned." However, a trained worm must be exposed periodically to the experimental conditions, or it will "forget" what it has "learned."

Aneven more fantastic experiment was conducted with planarians as subjects

when James V. McConnell, Allan L. Jacobson, and Barbara Humphries trained planarians to conditioned responses, chopped them up, and fed them to untrained worms. A second group of untrained flatworms was fed pieces of untrained planarians. The worms that had eaten their trained counterparts showed a higher proportion of conditioned responses than those which had eaten the untrained ones! One possible explanation for this

shocking finding is that since the digestive systems of planarians have amoebalike cells which engulf food by a process of ingestion, it may be that these cells can take in large molecular units, perhaps even whole cells. If this is so, entire molecules from eaten planarians could be ingested without change, possibly carrying small amounts of whatever learning is made of?

The experiments described thus far have been based on mere classical conditioning. In 1958, Jay Boyd Best, now a professor at Colorado State University, and Irvin Rubinstein experimented at Walter Reed Hospital in Washington, D.C., to find out if planarians are capable of "instrumental" learning as well as conditioned learning. In instrumental learning, an animal is trained to do something in order to get or avoid something. The animal's response determines its reward or punishment. Maze learning is an example of instrumental learning. The planarian is rewarded if it makes the right choice, and punished if it makes the wrong choice. The first experiment was to see if a planarian could learn a simple two-choice maze situation. The moti-vation for the animals was removal of their water, which is necessary to their lives. If the correct choice was made, the water would be restored. The cues were light and darkness. The maze was a Y-maze, so called because it consisted of 2 cylindrical wells one at each end of the arms of a Y-shaped tunnel. The arms and the stem of the Y were, therefore, separate, but interconnected alleys. This maze provides a definite choice point at which the animal must choose which of two alleys to take. One arm alley was lighted, the other kept dark. When a planarian was in the well chosen as the incorrect well, the water was withdrawn from the whole system. If the worm chose the correct alley (light or dark, depending on how the individual was being reinforced), water was given to it when it entered the well. The entire maze was then left dark for ten minutes and the worm tested again. Reinforcement (the reward of water) was withheld until the worm made the correct choice. The results of this experiment showed that planarians are capable of instrumental learning.

During the first trials, the planarians passed through the tunnels without

During the first trials, the planarians passed through the tunnels without hesitation. During the second set of trials, the worm would often pause and swing its head from side to side, as if to make a decision. Sometimes a worm would enter a tunnel, travel down it, then turn and go back to the choice point and approach a second time. This resembles the "conflict" behavior known in higher forms of life. When a higher animal is confronted with an experimental situation—to choose between alternatives—it will choose without hesitation at first. After being punished or rewarded a few times, but before it has learned which choice to make, it hesitates at the point of decision This is called the "trial and error" or "conflict" stage.

After the planarians passed through the first phase of learning, there was a period of active rejection of the correct cue stimulus (light or darkness). The attitude of the animal resembled the rebellion processes in higher animals, in which the animals exhibit behavior that appears to be rebellious or negatiAQUATIC FISHERIES HAS THE MOST MODERN WHOLESALE FISH FACILITIES IN THE WORLD / AQUATIC FISHERIES GUARANTEES YOU A FULL LINE OF IMPORTED AND DOMESTICALLY RAISED TROPICALS AT THE LOWEST POSSIBLE PRICES FOR QUALITY FISH / BEAUTIFUL LIVEBEARERS OUR SPECIALTY! IMPORTS ARE OUR BREAD & BUTTER!

tquatic Fisheries

ort - WHOLESALE ONLY - Exotic Tropical Fish - Cable Address "Aquatfish"

44

Tropical Fish Hobbyist

visite when one is attempting to train them. In the trial set following the one in which the worms refused to make the correct choice, they became very lethangic and refused to "play the game" at all. Even at the risk of dehydration, they would refuse to move or go through the tunnels. Some of them would remain at the choice point and heave as if dying until they were returned to their home bowl. At first it was thought to be fatigue or injury that made the planarians react like this, but when they were returned to their home bowl they moved quickly and easily without any sign of fatigue or injury. This seems to show that there is a psychological basis—even in a planarian's "brain"—for the same types of reactions as are exhibited in higher forms of life. To try to overcome this unexpected lethangy on the part of his "pupils," Dr. Best analyzed that perhaps the planarians were suffering from a type of "claustrophobia" because of the cramped situation in the maze.


Another maze was built, identical to the first one, except that it had a rim around the edge so that there was a large chamber for the planarians to crawl around in. The trials were exactly the same as before, except that between trials the worms had an opportunity to crawl out in this larger rim. In this set of trials, the flatworms never rejected the choices and never refused to run through the tunnels. Between trials, the planarians almost always took advantage of the rim to swim and crawl in it. This seems consistent with the idea that the rejection and lethargy were produced by the cramped situation in the maze.

If all these experiments have shown that planarian behavior resembles such things as boredom, conflict, decision, rebellion, frustration, anxiety, learning, and cognitive awareness in higher animals, does that mean that we can say that planarians get frustrated, rebellious, and anxious? Not necessarfly, All a person can "know" of the mind of another organism is from its similarity to his own. As Dr. Best states it:

When one does not know how an animal perceives the world, it is difficult to know whether an animal's failure to learn a task set by the experimenter arrives from incapacity or communication failure.

It is time to recognize that psychological behavior may not have its origin in the particular anatomy and physiology of the vertebrate mind. Lowly planarian worms have been shown to exhibit the same types of behavior as higher animals and even man. Therefore these harmless and seemingly inconsequential animals are really of great value to scientists, primarily in studies of evolution, learning, and regeneration. If the theories propounded by certain scientists are true, these lowly animals that often inhabit our aquariums may very well be related to man in some far-distant way.





MAIL CALL

If you have an aquarium question that you would like answered, send it to MAIL CALL. Each month the most interesting questions received and their answers will be published in this column. Letters containing questions cannot be exchanged expensionally. Address all questions to MAIL CALL, T.F.M. Publications, Inc., 245 Cornelison Avenue, Jersey City, M. J. 07302.

Avanue, Jersey City, N. J. 07302.

Selling fish

Q: Recently I joined the happy band of
tropical fish hobbyists in a small way
with two aquaria and a small tank for
young fry. I took up this hobby purely
for pleasure, and I calculate that I spend
(with equipment) about 3150 annually.
I keep, or try to keep, everything as per
textbook, and my fish are lively and in
good condition. New, my gripe is this:
when I try to sell excess fish, I have
little success, and I have become so
frustrated that I intend to dispose of the
lot as I can and also advise other wouldbe hobbyists of this situation. I can
quote just two examples for your
edification:

I atranged verbally to sell approximately 150 gruppies at 6 cents each to a
dealer. After I delivered them, he
reneged and offered me less than half
the original price. This little episode
was followed by an offer of 3 cents each
for marble mollies of approximately 14

for marble mollies of approximately 1+

inches in length. To say I was disgusted would be putting it mildly. If this is a sample of the treatment generally given, I want no part of it. As previously stated this is a hobby, and I did not expect to

Please mention T.F.H. when writing to advertisers

-Grow Your Own LIVE FOOD

Freshvoler (SHEMP-MRS (profile) 51.25, Wrighter REUTHIES 31.73, ALCOWORSES 51.25, WHITEWORMS 51.05, Debrining 51.00, Debrining 51.00, Debrining 51.00, Debrining 61.00, Debrining 61.00, Debrining 61.00, Debrining 61.00, State FRODRAM metabla fraudise (\$4.00), Excite Marrise Life (\$5.00), Guppy Strains (\$16.00), We pay bottops, Fire delections, Almoill 352 extra on each live foed, Strafeson online for fish (with plantin each, etc.), \$1.10,

AQUA ENGINEERS

Box 1, Ortanville, Michigen 48462 Box 97, St. Basile le Grand, Quebec

Please Mention T. F. H. When Writing to Advertisers

Measure & Control Water Hardness!

RILA WATER HARDNESS TEST KIT

Each kit contents
old scapest.
 Mecaves total water hardness easily and accerately.
 Mecaves total water hardness easily and accerately.
 Sharp, dear color change of but and point.
 Also ovailable. RILA WATESOFT FOWDER. I for control of water hardness. Alk your dealer today or write for complete Foduck I sharp making allelia.

for complete Product Information Balletia
RILA PRODUCTS P. D. Box 114
Tecnett, N. J. 07000 Tecneck, N. J. 07666



53

Tropical Fish Hobbyist

profit financially, but I did expect a fair deal from the people who depend on the hobbyists for their livelihoods. James L Clark, Pames L Cl

wants, not just taking something off of your hands. I have done this necessfully, and so have many other hobbyists.

Please mention T.F.H. when writing to advertisers

LIVE SEAHORSES



CHAIR CONTRACT CONTRA

Please Mention T. F. H. When Writing to Advertisers

BREEDER'S BONANZA!

Longlife's Brine Shrimp Eggs by Sanders in 2 sizes





Guaranteed Fantastic Hatch! Longlife's new, improved eggs by famous Sanders. Offering the incomparable nutritious value of live food, ready for hatching, in vacuum packed containers of 4 lbs. 6 oz., and 1 lb. 4 oz. Write for our complete price list, on your letterhead. No order too large!

*LONGLIFE FISH FOOD PRODUCTS

March, 1966

MODEL 300

Topsail platies

Q. Referring to the article by Dr. Joanne Norton in your June issue, and with all respect for the efforts of Dr. Norton to create "new varieties" of sundry species of tropical fish, I really think things are going a bit too far, converting the nice platy into something the cat wouldn't even bother to bring in. The swordtail has a body length which may be sizeable enough to carry a high dorsal, but the platy!!! The result here dorsal, but the platy!!! The result here is in my oplation a morestosity and is hideously out of proportion. The platy has one of the nicest and most esthetically built forms, at least to us who "like 'em fat like that" and needs absolutely no "improvement." Any touching up by human efforts in this detail can only set

these proportions out of focus. This is common sense, or should be, anyway. Fish hobbyists know about the "Golden Puls" when de Rule" when decorating their aquaria, but why should we bother to try to make our tanks look rice and proportionally planted when some people do all they can to make the fish look like anything but a fish? In my opinion, Dr. Frankenstein did a much cuter job than Dr. Norton, and in the name of all conserva-tive platy lovers I solemnly protest against this beginning of the end.

against this beginning of the end.

A. Mr. Hals, people have been doing this type of complaining against the "farcy" strains ever since the Orientals gave us their conception of what was boautifu-with the goldfish varieties. Have you ex-

Please Mention T, F. H. When Writing to Advertisers

Tired of a Trunkful of Air Pumps That Won't Work? You Buy A WISA



Only Once...It Lasts a Lifetime!

For'll mover again lawy an air pennyl The only pump with these features. TOTAL STREET, AN MAINTENANCE, TERMINOLOGY FORMER, Model 200 et compare with or 200 cccl, as due for the 35 aparturons better to prevent processe. — Model 200 approximately 6-1 at seast, MELSTERS INSULT, Insuland processes. — Model 200 asset of the Markets prompting give among professorate. — For Medel 200 asset 189 5 Vastil, Model 200 asset.



BY QUALITY DEALERS ... TO DISCRIMINATING CUSTOMERS!



seen a "bubble-eye" goldfish? Or a "llen-head?" Or the type they call the "egg-fish?" Monstroities? Certainly! But they are confidered desirable, especially by people who pay steep prices for them in the open market. What you and I may con-sider monstroities, others may consider gorgeout. This also holds good for art, week! Recompense of: music, literature, etc.

Playful plecostomus

Playful plecostomus
Q. 1. In my 30-galon tank of mixed livebaeres I have a "talking catfish", a red-car turtle, an owl-faced turtle (each turtle measures about 2½ inches from one side of the carapace to the other) and a 6-inch plecostomus. The plecostomus butts, slaps with its tali, and carries the turtles in its mouth. They seem yery unconcerned and do not and earries the turtles in its mouth. They seem very unconcerned and do not fight back or try to swim away. In fact, after the plecostomus drops them they sit will and look around or else continue eating as if nothing has happened. Can the plecostomus hurt the turtles? He bats them with terrific force.



ith small corner cutouts for heater and ter-fish stay in; dirt stays out,

Aqua Top reduces evaporation and helps maintain a constant water temperature. Made of transparent heat-resistant plastic. No rust or corresion, Ideal for marine tanks too.

Available in standard sizes at all quality dealers.

GENERAL ENTERPRISES

WE **TROPICAL** FISH

. independent fish form Gulf Fish Farms, the largest in the world, is constantly looking for sources of tank-bred fish of all species . . . especially the rare varieties. If you can supply quantities of any fish, please write, giving number of fish available and their price and size, to:

Gulf Fish Farms P. O. BOX 817

P. O. BOX 817



that virtually makes all others obsolete! Now you can have BIGGER, STRONGER, HEALTHIER Fish through

this better balanced, infinitely superior product. Internationally acclaimed for its high concentrated protein and exceptional nutritional value, SUROCA promotes maximum health actually fulfills every diet need...Vitamins...Minerals...Protein.

- 3 Formulas available:
 VEGE-TIEN for conditioning and health
 GROW-TIEN for growth and development
 BASIC for basic nutritional requirements

Features —
Contains more protein, more nourishment than any live or frozen

- Eliminates diet deficiencies
- Alds development and rapid growth.
 Brings out natural color.
 Will not cloud water.
- Highly concentrated a little goes a long way.

SUROCA CORP 2416 65th St., Brooklyn, N. Y. 11204 DE 6-1700 ACCLAIMED BY LEADING PROFESSIONAL BREEDERS, HATCHERIES, PET STORE OWNERS:

"Amoring, unbelievable results with our champions of applies. No other this food company. Auditional Control of the Control of

"You'll say goodbye to diet deFISHencies when you say hello to SUROCA."

Tropical Fish Hobbyist

2. What can cause my water to turn a vellow-brown color? Our water is very hard and I use pH tablets because it is alkaline, I "vacuum" clean the bottom at intervals and stir the sand to try to keep it clean. I use an outside filter. Any suggestions would be wel-

Mrs. A. Marabella, Douglassville, Pa.

A. 1. As long as he does not but them hard enough to do them any damage, there is no cause for concern. "A turtle lives 'twiste plated docks," as the poet Ogden Nature puts it, and these "docks" make him a

part it, and trace access make run a pretty teagh proposition.

2. There could be a number of causes. There might be some old iron pipes in your plumbing causing the discoloration. Try using activated charcoal in your filter. This may remove some of the dis-

coloration.

A slightly dissatisfied render
Q, I currently subscribe to THI and I
think it is a very good magazine. But I
wish that you wouldn't talk so much
about fishes that we never heard of and
we will never see at a petshop. In the
February 1965 issue you devoted almost
the entire magazine to the fin structure
of Brittantichtys arefront, which I
couldn't care less about. On the other
hand, the May 1905 issue was crammed
with articles about fish that I know
about and have in my aquarium. I par-

A PLANT



ticularly enjoyed the May 1965 issue. I wish you would make all of them on fish we hobbysits know a little about and can purchase at most petshops. Terence McIneruey, Pittsburgh, Pa.

Please Mention T.F.H. When Writing to Advertisers



IMPORT DIRECT FROM SOUTH EAST ASIA

Exotic Malayan Fish, Coral Marine Fish, Oriental Goldfish, and all types of Aquatic Plants

(WHOLESALE ONLY)

TROPICAL FISH AQUARISTS

P. O. Box Geylang 51, Singapore 14

Coble Address: "TEOPICFISH" - Tel.: 81487

A. Perfection is a thing we all try to achieve, and no matter how hard we work, there are always some to tell so how far we have missed our goal. Strongest thing is this: one person tells no what a gosh-owful ogg a certain time laid, and the work letter we open asys, "hurray, that itsue was great, give us many more like it." We have from goand litter experience that we just can't please everyone, and if we get more mail that tells us we're not, we know that we're doing just about all toe can expect to.

Guppy-Gambusia hybridization Q. I am interested in breeding the guppy with the meaquito finh (Gombusia affinis). I obtained my mosquito fish from a weedy cove of a small muddy river near my home. They are very hardy and can take temperatures as low as 55° F. At the present time I any raising a batch of mosquito fish fry to get some virgin females in the hopes that they will breed successfully with guppies. In the book PLATIES AS PETS, Dr. Myron Gortfon states that platies can be bred with swordtails because of a likeness in the structure of their geospooldums. with swordtails because of a likeness in the structure of their geospodiums. Also that a guppy can be bred with a molly for the same reason. He also says that a platy or swordtail cannot be bred with a guppy or molly because of the difference in their gonopodium struc-tures (also because their chromosomes

ET TOWNE THE MOST COMPLETE TROPICAL FISH STORES Always The Best Quality

Featuring:

Extra Fancy Guppier by Emile Para HiFin and Lyretail Swards Libby Better by: the Youngs

WETHERSFIELD, CONN. 671 Silas Deane Highway - Route PROSPECT, CONN.

Waterbury Road - Route 69 SPRINGFIELD, MASS. 776 State Street - Route 20

SHOP PET TOWNE

Please mention T.F.H. when writing to advertisers

are different). If a guppy and mosquit fish have the same chromosome count and gonopodium structure, can't it be done?

Joplin, Mo

Please Mention T. F. H. When Writing to Advertisers



Aqualit Plants Grown Indoors is Greenhouses.

Superior Quelty— Bare Plants. Get our list.

Trepical Fish—We produce them like minows, by the thousands. We import many rare verietles.

Our large warehouse is fall of aquarisms and supplies of bargain prices.

WHOLESALE RETAIL

Color Chart showing 90 fish in color 19" x 28" - \$3.00 Postpaid BELDT'S AQUARIUM, Inc. - Hazelwood 22, Mo. Since 1920



PET SHOPS AND AQUARIUMS

Write for our Special Lists issued regularly. Your name will then be placed on our Mailing List.

WHOLESALE ONLY!

"Everglades" Aquatic Nurseries, Inc. F. O. Box 587, Tampa, Fla. 33601

A. Forgetting about chronosame counts, let us be practical; there is a considerable structural difference in the gonepodiness of the two species. Then, you have to figure that a fish would have to be confortable. You say that your Gambuita



Gembusia affinis pair.

can take as low as 55. A gappy would soon be covered with ich as temperatures that were confortable for the Gambusia. I do not think you will be successful, but I wish you luck anyway!

Convict cichlids

Convict cichlids
Q. 1. When I first saw albino tiger
barbs, I was caprivated and bought
four. The petshop at which I bought
them is an bour away from home.
Halfway home we stopped and I
checked the barbs. Much to my amazement they had spawned in the small
plastic sack. The eggs were soon gobbled up, and I was unable to save any.
Isn't this rather unusual?

Among other tanks, I have a 30-gailon community aquarium. In this aquarium are: six Hyphessobrycon innesi, three Hemgrammus gravilis, two Cory-

Please Mention T. F. H. When Writing to Advertisers



Fresh

Overnight Delivery

THREE SPRINGS FISHERIES

2786 Lilypoes Road, Lilypons, Mar Phone: 301-879-3333 and save with every unler



nus gracilis pair.

doras aeneus, two Rasbora heteromorpha, doras aeusus, two Raufora hetecomorpha, two Pantine sadui, two Henigramman ocellijar, two white convicts (1½%, one Aeumhophihalmus habili, one Cyrnocheilus aynemier, and one Xiphophorus halleri. This tank is filtered by an undergravel filter that covers half the tank, an outside filter, and an outside power filter. It is well planted and is aerated by an airstone. I have been told that this aquartum can support twice the number of fish I have now. What changes and additions would you make? It receives light from an overhead reflector for 8 to 12 hours. Temperature is kept near

3. In the April '65 TFH there is an article on the white convict cichlid. That article gives its name as the Cichlasoma facetton, which is the chanchito. Is this right?

Robert Kegerreis.



The colored variety of Cichlasoma facetum

A. I. Unusual, but not unheard of. Years ago I had a pair of pearl danies do the same thing in complete darkness, inside of a wax-coated cardboard con-

BIG MONEY FOR YOUR OLD AQUARIUM BOOKS

We are searthing for several first offices of books for agrantist. Obeck your collection for the books listed below. If you have one, we will pay the price indicated for it. The book must confuse all pages and be in good to excellent condition.

EXOTIC

AQUARIUM FISHES ACCURATION T. Innex Capyright 1935 (First Edition) Innex Fublishing Company \$50 FREMDI ANDISCHE

SUSSWASSERFISCHE Ey J. P. Arsold and Dr. Errat AMI
Copyright 1936 (First Edition)
Gestor Wenzel & Sohn

\$60

E P. Dutton & Company

E P. Dutton & Company

HANDBUCH DER ZIERFISCHKUNDE

By Arthur Rechaw Cappright 1928 (First Edition) Julius E. G. Wegner, Stuttgart

THE HOME AQUARIUM. HOW TO CARE FOR IT

\$25

Do set send us your book. Send a letter telling us which book row have and what condition it is in. We will write to you to make further aroungements. We are interested only in the Etler and editions listed. Write to the address gives below.

HOBBY-BOOK SEARCHERS

61

U6 T.F.H. PUBLICATIONS, INC.
245 CORNELISON AVENUE JERSEY CITY, N. J. 07302

60

Tropical Fish Hobbyist

tainer, I was able to save some eggs and valued the fey to maturity.

2. On questions of fish capacity of an aquatism, it is far better to keep a few less than to over-roud. My advice is to keet thins as they are.

heep things as they are.

3. We have an expert identification which assures us that the fish is indeed Cichlasoma facetum.

Killies are tough!

Killes are tough!

Q. Recently I made a surprising discovery. While netting some killies for bait in a river near my house, I was surprised to find that some of them had colorful markings. Encouraged by the discovery, I captured some, set up a 5-gallon marian eaguarium (the river is saky where I got them), and put them in. Although it had a slight odor, I kept it in my room. Unfortunately, the tank was broken when the wind blew a lamp

down on top of it. The water poured out, and I discovered what had happened a few hours later. All the fish died except one which had succeeded in finding a peadle of water. I was too tired to walk down to the river and set the fish free so in a do or die effort I dropped him into my 20-gallon freshwater tank thinking that if he went through this much, he could live in freshwater. The next day I expected to find his remains on the bottom, but there he was swimming around happily. Naturally, the shock was almost as great for me as it was for the fish. I have had no luck in identifying him scientifically other than the fact that he is called a killie. He is a fat out of fish with a yellow underbelly, black hars down his sides, and a black spot on the rear of his dorsal fin. He seems to do very well and

Please Mention T. F. H. When Writing to Advertisers



Megaton Air Pumps?

U DO.—If you're an aquarium operator. Megation

** woenuity ar coord meter

** Furmas stake a fixed off your mind. They're built

** ruf 1½" olds species was beauted

** of a jich and leep on doing it. Ouy and eight.

** ruf ½" olds species was beauted

** species of the property duty shafts and tearings

** read justice — se influentives

** period on it of periodice.

Account Migreton Air Pumps deliver newpump • One-peak films sometischen.

Historica continuous. They in compact, yet high.

The MEATON SUPER 125 M. T. 25 m. in (Min. 6 tarks). \$18.5 m.

Meanward, And Second Holy's premision machined.

The MEANWARD 125 M. 125 m. in (Min. 6 tarks). \$18.5 m.

Meanward 125 M. 125 m. in (Min. 6 tarks). \$18.5 m.

Meanward 125 M. 125 m. in (Min. 1 tarks). \$18.5 m.

Meanward 125 M. 125 m. in (Min. 1 tarks). \$18.5 m.

Meanward 125 M. 125 m. in (Min. 1 tarks). \$18.5 m.

Meanward 125 M. 125 m. in (Min. 1 tarks). \$18.5 m.

Meanward 125 M. 125 M. 125 M. 125 M.

Meanward 125 M


Who needs 'em!

Fig. of a Magazine Air Pump? YOU BO



AQUARIUM STOCK COMPANY, INC. 31 Warren St. New York, N. Y. 10017 1 8000 Stemby Block, L.A. 45, Colf.

March, 1966



Itch Salt Water Itch Blotchy Skin Less of Color or Appetite Rapid Breathing

Caused by Fungus Growth on Nouth or Bedy Fungus Doon Wound or Sores

Solve it with . . .

MARINE AQUA REMEDY 學

Marine Aqua Remedy

The only effective anti-parasite. Used as direct this fast acting liquid kills harmful parasites wi it scothes raw, irritated skie tiesse abtested for two years Narine Aqua Ranach has proved safe and effective 980



Sea Cure

98c



has survived temperatures of 82° F., cats all foods, and has become quite fond of my kissing gouramis. The identification of this fish and any other

information would be quite helpful. Jay Harris, Rumson, N.J.

Jay Harris, Rumson, N.J.

A. Luckily I have seined the Shreusbury River at Rumon myself; years age to used to get here to seine thrimp and then fish for weakful a ways deceriver. Rumon is fairly far inland, and, therefore, the water is only lightly breakful rather than stilly acceptant stages of the tide. This would be of some help to your fish when damped into fresh water. From your description and my own experience in that tiver, you have Cryptinodon variegatus. In the latter part of June the males get orange fine and big biother of blue all over the body. The belly, as you describe, is yellow. Here, the fish is scarcely ever the body. The belly, as you describe, is gellow. Here, the fish is scarcely ever the body. The belly, as you describe, it yellow. Here, the fish is rearred year, they, but, it would be in fesh water to which a little salt (about 1 tempoonful per gallon) has been added.

Salt in the aquartum

Salt in the aquarium

Q. I have one tank with mollics, sword-tails, and guppies. Can you tell me how much salt per gallen is advised in order not to damage the plants? I have had to replace all of my plants three times in the past month due to too much salt in the water.

Erich Hene, Magnolia, Ark.

Brich Hene, Magnolia, Ark.
A. Three are some who claim that a little
solt in the freshwater aquatism is beneficial. There are cost some tobe tay it it
absolutely estential. Unlaw two ear relating
with a breaklest water fish like a molly,
which I nets you have, my contention it
that tak in a freshwater aquartism is not
at all necessary. This is especially true
unlaw you are keeping species from inland
waters, which are totally devoid of salt.
In your case I would recommend a tratopomytal of salt to each gallen of water.
This is not enough to cause damage to
your plants, and is a small concession to
help the mollies.



Fry problems
Q. 1. Is it possible to completely
eliminate all "not-so-good" gupples
from a strain?
2. Can you tell me what would promote the growth of my fev?

mote the growth of my fry?

mote the growth of my fry?

3. I have separated 2-month-old fry by sexes. Why do the males chase each other around as if the one being chased was a female?

as a remaier

4. My mother has put a male marble molly and a male black molly into my male guppy tank. Will they do any damage to the fry?

damage to the fry?

Pameta Robbins,
La Mirada, Calif.

A. 1. Yes; all you need do is what all the
mecessful breeders tell us to do: "Culi,
culi, and cull some more!"
2. The most important thing a young
fish need and frequently does not get is
mough space. Next to that is a constant
sufficiency but never an overabundance of

good, healthful foods. The proper, con temperature is also important, and the trater should always be clean and free from trastes. Changing part of the water regularly has also been found to be

beneficial.

3. It is natural for males to bestow 3. It is natural for males to bestow their favors upon females, just as it is for the females to sum about quietly until they are singled out. Put together a tankful of males and you have them trying un-successfully to find a female for their attentions and playfully chasing each other. No hum done! 4. As long as your guppies are big enough to escape being studioused, they should not be danuged.

Please mention T.F.H. when writing to advertisers

FANCY GUPPLES

Our Guippies see winning hite ribbons for filed proud owners extrawhers. Letters left us not aware file head of fileded, small left filed for the search of the search left filed fileded, small left filed fileded, small left filed fileded, small left fileded, small l

Please Mention T.F.H. When Writing to Advertisers

FIRST PRIZE WINNER AT THE INTERNATIONAL 1960 GUPPY SHOW,

THE BRONZE DELIGHT

After more than 30 years of breeding exhibition guspiles, At. Horizing noise introduces his present architement — the Brance Delight with its large Wall test breeds then They are a firm bybeid of guiden and uses appears. You may choose from Green, request, Blass. Side per part. (33.00 exhip for find).

***HARMORE OFFET SPECIALIS**

Other parts—unning restriction one, your wholes of Bod, Blass, Both Duck Blass, Varingand—exhip 3-3.00 exhip for its parts—unning restriction one, your wholes of Bod, Blass, Both, Duck Blass, Varingand—exhip 3-3.00 exhips of the parts—of the parts—unning restriction one. Your object of Bod, Blass, Blass, Duck Blass, Varingand—exhips 1-3.00 exhips of the parts—of the part

64

Golor
Q. 1. Recently I acquired a dry food that brings out guppy colors. How would the components of this food bring out the colors in fish? (Such components carotene, astaxanthine, oleo percomorph, and pollen.)

Do you use hormones? I would never use them, but understand that they would bring out colors.

Glen Heller,

Glen Heller, Englewood, N.J.

A. 1. I never use any of the so-called "color foods" on my fish. Giving them the best of care and environmental conditions it enough for me. But if you stout to please your eyes, so ahead and use it. I told a manufacturer of such a food that lit of or 5 cheer foods are excellent and sufficient, and he may discontinue that item.

2. As I understand it, hormones are manufactured by glands in any living thing, just the right amount for every function, ever in a little thing like a guppy. Why add any? Hormones thould be supplemented only where a deficiency exists. The right kind and amount can be preserved by an authorized person, but 90% of us hobbyitts do not know how to use them, in any case. use them, in any case.

One of a trio

Q. I recently bought a trio of guppies which were shipped to me by mail. I have no reason to doubt the respect-

ability of their source, but when they arrived, only the male was alive. He showed no sign of disease and looked healthy; ny only problem is that he is sluggish, sits on the bottom, plants, rocks, etc. He is alone in a planted, beated and lighted tank. What is the matter with him, and what can I do to

Rick Woltys.

No. Riverdale, Ill.

A. The fish might have been in bad condition to begin with, but probably they were chilled by shipping daving the cold months. Fish are aften shipped in unheated compartments in planes, where even in the warm menths it gets pretty cold. Your male will probably come through in time, and I hope it happens.

Please mention 1.F.H. when writing to advertisers

THE DEGAULLE GUPPY

(Fing of France)
The most unusual breed at this can. A large, fare hybrid with light face, jet black body, forfur red tail, and white damed in. First, better the control of the control o

tria.)
Other varieties include Albine Voits, fluid Fec-catis, Les Vegos Oreen, Lavender, \$7.50 per poir, (\$2.50 extra for Iris.)
Overenteed Live Delivery, Pectocié, Alimeil, Send check or noney order to ...;

MANHATTAN AQUARIUM SERVICE 224-31st St., Monhattan Beath, Calif. 90266 Phone: PE 2-6621

Please Mention T. F. H. When Writing to Advertisers

Live Foods for Aquarium Fishes by Robert Gannon. Are any live foods dangerous? What are the best all-round live foods? How much live food should be fed? How do you maintain live foods? These and many other questions are fully answered in this remarkable booklet, which lists and describes all of the available live foods. It is a "must" addition to the reference library of anyone who thinks of himself as an aquarist, and who would like to speak knowledgeably on the subject of live foods. 36 pages.

Price, 35c. At your petshop or order direct from T.F.H.

65

March, 1966

Salts From The Seven Seas



By Alfred A. Schultz

gallon salt water aquarium and would greatly appreciate your advice and guidance. Having read a great deal of all available literature, there are still certain problems. I plan to establish the tank as problems. I plan to establish the tank as the books recommend. However, in addition to the outside power filter, I would like to use an undergravel filter and glass gravel since sand is rather monotonous in color. I realize the larger glass gravel is not preferable. Would this filter system break down the unesten food as it does in the fresh water display, particularly when combined with the power filter?

Too Way Yong & Sons

Importers & Exporters of Fancy Tropical Fishes, Wild Birds & Animals Shipments to Any Part of the World

1063, Yio Chu Kang Road Singapore 19

Cable Address "CATFISH" SINGAPORE 2. Regarding stocking the 50-gallon aquarium, I have tentatively planned to use I Townsend, blue or queen angelfish; I black or French angelfish; 2 butterflies (different varieties); I rock beauty; 2 neon gobies; I beau gregory; I spiny boxfish; I cowfish—all of these to be different sizes as recommended. Now it seems to me that bottom feeders or scavengers would be the most important fish in the tank. I have therefore considered using 2 green saiffin mollies; 4 black mollies; 2 chirons; I smill, and I hermit crab. Can you foresee any unusual difficulties with this choice of fish? fish?


3. Can you recommend other bottom 3. Can you recommend other bottom feeders? I have read somewhere that certain species of fresh water botia such as the clown loach are convertible to salt water. If so, would it make a autrable scavenger?

Please mention T.F.H. when writing to advertisers

"NEPTUNE SALTS" KEEP SALT WATER FISH ALIVE FOR YEARS & YEARS!



WESTCHESTER AQUARIUM SUPPLY CO., INC. 434 Mamaroneck Avenue White Plains, N. Y. Tel.: 914 WH 8-0011



One problem appears to be in the decorative rather than efficiency cate-gory; mention is made of granite, marble, and glass as suitable rock. How

Quartz crystal—is this considered a glass rock? Petrified wood—the attractive red variety from Utah? Common commercial freshwater shale? Quartz crystal-is this considered a

S. Also, since live plants seem to be insuitable, how about the plantic arieties (without metal supports or aving supports withdrawn)? Ronald H. Tyson, Kew Gardens, N.Y.

A. 1. There should be no uneaten food after feeding time. If there is, it should be siphoned out afterward.

2. Not with the choice, but rather with the too-great amount,

Whoever gave out this information evidently confused saltwater clounfish with freshwater clown loaches. The fresh-water clown loach cannot be converted

Quartz crystal is considered a glass rock. Petrified vood is excellent, but steer clear of freshwater shale, because it may centain iron.

Salt Water Fish! Sea Horses, Angelfish, Gobies **Butterflyfish: All Kinds**

FAST DELIVERY! Little Waiting! At the facility of declars who effer theapses on marine fair. They can't deliver will only elicopenin yeu.

4 31.00 for See Novre book and Marine spake, National Distributor for See South and Marine spake. National Distributor for See South and the Madium. Dealers wanted, about F. L. Straughan, Morine Callectur.

CORAL REEF EXHIBITS

P. G. BOX 59-2214 MIAMI 59 (AMF BE.), FLA. Ph. Micmi 271-3331 Send for free pr We deliver feb not promise:"

5. Plastic plants are fine as long as all ustal has been removed from thom.

Please Mention T.F.H. When Writing to Advertisers



A FIRST IN THE SALT WATER HOBBY RILA SALT WATER AQUARIUM KIT

- Complete kit contains every item needs to set up and maintains a becutiful merine acquarium.

 Jegoe instruction Booklet Included.
 Contains the quality and time-tested BILA solt water line.

Ask your dealer today or write for complete Product Information Bulletin and tree Salt Water Bulletin. RILA PRODUCTS . Box 114, Tooneck, N. J. 07666

68



ts that turned up at Lakeland Fish Ho keland Fish Hotcherles

A New Angelfish Mutation

BY WILLIAM VORDERWINKLER Photos by Lakeland

There are two ways to produce new variations and color varieties in tropical fishes. The time-honored way to arrive at a desired form or color

Tropical Fish Hobbyist

mbination has been to breed them, taking fish that approach what we are looking for and rejecting unwanted specimens until, frequently many generations later, success is finally achieved. This is called selective breeding, and the guppy is a prime example of the selective breeder's art. Many years ago, Paul Hahnel took a nondescript pair of the common guppies available at the time and decided that he would make of these something special. By giving them the best living conditions, conditions which were far removed from what they had to put up with in their home waters, constantly rejecting those which did not come up to standard, and breeding the best of the ones that did, Paul has arrived today at a strain of guppy which is considered as the finest guppy anywhere. This is Hahnels way: don't wait for a mutation;

create one by selection from natural minor variations.

The second way is to wait for a mutation that is significant and to fix it by inbreeding. Of course a mutation is much more likely to happen in a large commercial hatchery than to an individual hobbyist. Here there are many thousands of fish produced, and a sharp-eyed breeder can sometimes detect aberrations that occur in some fishes, separate them, breed them, and cross his fingers, waiting for more.

It is the custom of H. M. Wingate at Lakeland Hatcheries, in Lakeland, Florida each April to put out about 4 or 5 thousand each of common and


gate, the man who spotted the mutants. Photo by Lakeland Fish Hatch-



Hans Frey's ILLUSTRATED DICTIONARY OF TROPICAL FISH

\$7.95

Never before in the English language has a dictionary of tropical fish appeared. This huge volume, translated from the German by Dr. A.



Viggo W. Schultz, brother of Harald Schultz, covers every fish, plant and snail that has ever reached any popularity in the last 50 years! It is illustrated with more than 1,000 photographs and drawings in color and black and white. There is no book like it that compares in size, scope, or completeness. In German it sold 18,000 copies in less than two years, making it a national best-seller. This book is a must for every beginner and advanced hobbyist alike who wants to identify a rare fish, plant or snail, and who needs information on any squatic subject. Besides the subjects already mentioned, there are entries on breeding, water, infusoria, diseases, heaters, filters, pumps, feeding, live foods, fish collecting, marine fish, goldfish, cold water fish and terrarium life. Available now at your petshop. Add 50c. for postage and handling if ordered from the publisher. Send cash, check or money order to

> Published by T.F.H. PUBLICATIONS, INC. 245 Curnelison Avenue Jersey City, N. J. 07302



black-lace angelfish in large earthen pools to raise to large breeder size for sale or for their own use. In October, the angels are put in holding vats for the winter months. Breeders are selected from these and used to replace the

the winter months. Breeders are selected from these and used to replace the older breeding pairs. A check is made periodically for fish which are outstanding as to finnage, size, shape, color, etc.

One day the owner's son, Bob Wingate, noticed three oddly colored angelfish in a vat of black-lace angels. The entire region from the lateral line to the dorsal fin, with the exception of a bit of the caudal peduncle, was a deep, the desired and are all regions. sooty black with two points extending halfway to the ventral and anal region.

The black reached over the forehead to make it look as if the fish were wearing a cap. The eye was reddish, the area below the black a brownish red, and the head below the eye silvery. Another startling feature was the dorsal fin: reddish with a large black area in the forepart, and striped with silver through-out the rest. The lower part of the body was silvery, and the anal and caudal fin slightly brownish.

He immediately and carefully proceeded to eatch them and put them where he could observe them more closely. They were not quite mature. He noticed





SALT WATER AQUARIUM FISH

BY DR. HERBERT R. AXELROD & WILLIAM VORDERWINKLER

The most complete up-to-date book on marine-fish keeping ever published in any language, this book has more color illustrations (335) of marine fishes and marine invertebrates than all other books on the subject combined!

Printed on the finest, non-glare, water resistant, coated paper (never before used on an aquarium book), SALT-WATER AQUARIUM FISH contains fact-filled chapters on all the various kinds of marine fishes, from the popular Anemone Fish to the playful Batfishes.

Dr. Axelrod took four years to write this book with the assistance of Mr. Vorderwinkler. He journeyed 135,000 miles from Pakistan to Hawaii to Australia to the Fiji and Hawaiian Islands, through Japan and Ceylon, Singapore and Hong Kong, as well



as Europe, the West Indies and South America. not to mention Africa and the Mediterranean, to collect and photograph fishes which have never appeared on a printed page before

NOW AVAILABLE AT YOUR PETSHOP Published by T.F.H. PUBLICATIONS, INC. 245 Cornelison Avenue Jersey City, N. J. 07302

Tropical Fish Hobbyist

that they seemed to be losing their black-lace coloring. At first he thought they might be sick or weak, but their entire appearance was vigorous. As their coloring became more vivid and distinct it became increasingly obvious that this was a new color strain. After feeding them carefully for a month, Bob made the unhappy discovery that he had three males and no females. A close examination of all black-lace specimens failed to turn up a single additional one, much less a female. Nothing left now but to breed them back to plain black females. He picked out six beautiful specimens and put them in a 60-gallon aquarium along with the three males of the new strain, to let them pair off naturally. Strips of slate were put in, hopefully to receive the spawn. It was not long before the first male chose a mate, and they spawned. The eggs, of course, were hatched artificially, and the pair was then removed to a tank which was to become their permanent home. Within 2 weeks all three males had found mates and spawned. As was to be expected, the babies were makes and system thates and systemed, as we to be expected, the outsies were very carefully raised, but the color pattern of the males has not been repeated as yet. Each spawning from these "special" males has been carefully marked and segregated, and great pains have been taken to prevent them from being mixed with the regular youngsters. There are now about 4 to 6 thousand of all sizes. This fall the oldest of the youngsters will have become mature enough to breed, and the first thing that will be tried is to take young females and mate them back to their fathers, the original three males. The young second generation angels will also be bred to each other. Perhaps the recessive trait will put in an appearance again, and this time, there will be better luck in stabilizing it. Let us hope that some day this unusual strain will be seen everywhere. The three odd-colored males are still spawning, and the older among the youngsters will soon be mature. The males are as highly colored as ever, and the Wingates have high hopes!

Please Mention T. F. H. When Writing to Advertisers

WHEN YOU CHANGE YOUR ADDRESS

You won't want to miss your TROPICAL FISH HOBBYIST when You won't want to miss your IROPICAL FISH ROBBITS WHEN you move to your new home — so please tell us, well in advance, what your new address will be. (It isn't enough just to tell the Post Office, for they won't torward your copies unless you pay extra postage.) When you write us, be sure to give us your old address, too — even better, enclose a clipping of the address label from a recent wrapper. We'll see that you don't miss a single copy it you notify us at least six weeks in advance of your moving date. Please don't forget to include your zip code number! Write to: TROPICAL FISH HOBBYIST, 245 Cornelison Ave., Jersey City, N. J., 07302.

NOTICE TO AQUARIUM SUPPLY RETAILERS IN

NORTHERN CALIFORNIA



If your store is not now stocking Live Brine Shrimp, you're missing a good profit maker in fish hobbyist sales, Cut out this announcement for a reminder to ask us about being a Live Brine Shrimp dealer.

Meet The Baron

In the keeping of aquarium fishes one is always subject to the lure of the mysterious, the unknown, and, more rarely, the deadly. A new fish or even a specimen of a long-known but rarely available fish will attract attention and command a high price.

Imagine my surprise and pleasure when window shopping at a local dealer to see a fish of strange and totally new appearance in very ordinary surroundings. In a tank of dwarf cichlids was a long, somewhat transparent, silvery ings. In a tank of awarf cichics was a long, somewhat transparent, silvery fish, suspended motionless in the water. A label on the tank besides naming the cichlids read "ANOSTROMUS—\$2.50."

"What's the big one in here" (it was then about 3½ long), I asked.

"Pin calling it an anostromus," replied the dealer.

"Does it eat other fish," I queried.

"Everyone knows an anostromus has a very small mouth and is very peaceful."

This last answer struck me as a bit odd since the fish I was looking at had a mouth that extended back under his eye. Since the eye was about \frac{1}{2}-inch from the nose, the mouth was very large indeed. Besides, the largest teeth I have ever seen in a tropical fish were clearly visible.

"Well it looks to me as though it eats nothing but other fish," I argued. The dealer said that with these new "African" fish you couldn't be sure and turned his attention to the paying customers.

Crenicichla lepidota, a tough custamer in its own right, was to be one of the Baron's task-mater. Photo by Harold Schultz.



76

















ROCKS & CAVES 3-0





Tropical Fish Hobbyist


Having no place to keep a fish of this sort (community tank, you know),

On the next day I returned to the store and studied the fish, waiting for it to open its fantastic mouth. "Say would you throw a guppy in there for me just so I could be sure it's safe in a community tank," I asked. The dealer sensing that I was hooked, obliged. Nothing happened, and to the delight of my youngster who was along I said, "I'll take it."

Needless to say, within a week the new "African anostromus" had devoured most of my collection. By then we were calling him "the Baron," for a miniature fresh water barracuda was what he looked and acted like. This may be a little unfair since he had no interest in any fish too large to be swallowed. In fact he was occasionally bullied by more aggressive fishes that he later ate In fact he was occusionally oblined by more aggressive interesting the start are when hungy. However, he did have the failing of overestimating his capacity, and once clamped within those alligator-like jaws (teeth up to ½-inch long) the victim, if it survived, was never the same.

There was in the Baron's tank a Crenicichla lepidota (pike cichlid) of about 3½ inches in length who liked to bother the Baron. This ceased when the

Baron, whose usual upper limit was 2-inch goldfish, mistook the pike cichlid for dinner and clamped down on his head. The bully got away but



SUBSCRIBE

TO

ICHTHYOLOGICA,

The Aquarium Journal

Whether you are an ichthyologist, professional breeder or scientifically oriented hobbyist, if you are interested in keeping abreast of the latest scientific developments in aquarium fishes and their care, you can do so in only one magazine in the entire world - Ichthyologica, the Aquarium Journal. Fill in the form below, and if you are a student, be sure to check the proper box and get your subscription at half price.

Plea	se print. Detach and se	end to:
T.F.H. PUBLICATION 245 Cornelison Ave	ons, INC. nue, Jersey City, N. J.	07302
Gentlemen:		
	in subscribing to Ichthy lease find check, mone	
Sample copy —	- \$1.00	
12 issues (one y	rear) — \$10.00	
12 issues at spe	cial student price — \$	5.00
School Attending	100	
		11
Name		
Street		
City	State	Zip

