
tropical fish hobbyist DOMESTIC 40¢/British Isles 3/-



Fantastic

Freshwater Crabs

tropical fish hobbyist

CONTENTS

Vol. XVII, May, 1969 (#159, No. 9

COMILINIS	
Copeina guttata	4
Bettaphile	12
Lawrence the Whelk	21
Start Smart	26
Geophagus acuticeps	33
Nannochromis nudiceps	36
Guppy Corner	57
Salts from the Seven Seas	60
Ctenolucius hujeta	67
Mail Call	69
Your Fishes' Health	83
The Newest Oldest Fish Food	88
Fantastic Freshwater Crabs	92

Dr. Herbert R. Azelrad President, Executive Edit William Verderwinkler Publisher Emeritus Neal Prenek Managing Löttor, Dr. Lesnard P. Schultz Advisory Editor Br. A. Viggo W. Schultz Translations Editor Paul Petsko Art Director San Seidner Production Meaner

cover

Suppose you had these very colorful and very interest ing little crabs, see, and suppose further that they happened to be able to live in fresh water. . . you'really have something, wouldn't you? Well, Far Eastporter Peter Traing thought the same thing when he came acrots what he believes to be a mutation of plain mud-fown Australian river crab. Read about Peter's discovery and how they fared in his tanks it the article beginning on page 2.5. Cover photo of fresh water crabs (scientific name unknown at present by Peter Tsang.

exolic tropical fishes supplements

Pages 33 and 34, 67 and 68. These pages are perforated for easy removal and punched to fit into the Looseleaf Edition of EXOTIC TROPICAL FISHES.

rates

40c per copy in the U. S. 40c per copy in Canada or foreign. \$4,00 for 12 issue subscription in U.S. Add 60c per year for foreign subscription. Index available in every 1278 issue.

In England and the western Sterling area Tropical Flah Hobbysis magazine and T.F.H. Books are distributed exclusively through T.F.H. Publications (Inodos) I.G., 13 Nutley Lane, Reigate, Surrey England All subscriptions and inquiries should be sent directly to them.

Second Class Postage Paid at Jersey City, N. 1. and additional mailing offices. Published monthly by 17. M. Publications, at 245 Cornelison Avenue, Jersey City, N. 1. 07302. Printed in U.S.A.

editorial

Do you feel like an expert today? If you do, answer this question: what is a tropical fish hobbyist?

Go ahead, give it some thought and put some words together to express your idea of exactly what it is that makes a tropical fish hobbyist. Make your definition long or short, but make it specific. Put in all the things you mean when you describe someone as a tropical fish hobbyist. When you've satisfied yourself that you have a valid definition, write it down and read it or show it to persons whose opinion you respect in matters aquaristic. I'm willing to bet that nine out of ten hobbyists who get a chance to inspect your definition won't agree with it completely. They'll want to change it quite a bit by adding something here, subtracting something there. But if it happens that your definition goes agreed upon and unchallenged by just about everybody you discuss it with, do me a favor: send it to us. We'd like to publish it and get the ideas of other readers throughout the world, to see whether they agree with you. Then maybe after we've arrived at a workable definition of what a tropical fish hobbyist is we can go on to the next step and try to find something else out: how many of us are there?

weal fronk

Tropical Fish Hobbyist



Two males of Copeina guttata.

Dr. Herbert R. Axelrod.



May, 1969

The female Copeina guttata (above) is easily differentiated from the male through her possession of a more distinct black marking in the dorsal fin and the absence of the red spots along her sides. Photos by R. Zukal.

Copeina guttata

BY RUDOLF ZUKAL BRNO, CZECHOSLOVAKIA

Since 1912 the Red-Spotted Copeina has regrettably become a very rare occupant of our aquaria. Its body is shaped like that of a trout, comparatively strong, and it reaches a size of approximately 4 inches. One finds reports of larger sizes in the literature, but I, personally, have never seen any. The scales are comparatively large and each one has a red spot. The upper part of the iris of the eye is red. The dorsal fin has a tear-shaped spot; otherwise, the fin is transparent, of a yellowish white color.





This is a wild-caught pair of Copeina guttata, male above Photo by Harald Schultz.

The sexual distinction in the mature fish is most easily recognized by the spot on the dorsal fin, which is hardly noticeable in the male. The male has vertical, pointed fins of a reddish color. The spot on the dorsal fin vanishes

with progressive age. The fins of the females are colorless.


The breed and their breeding behavior is similar to that of the genus Pyrrhulina. The fish are peace-loving, but unfortunately rather shy, and like to jump out of the tank. One can keep them with any other fish, even smaller tetras. They cat all kinds of food, and even enjoy vegetation for necessary variety. I keep them in an 100 liter tank together with all paired breeders. Previously, I had kept them in a still larger, profusely planted tank, but because of their shyness, I hardly even saw them. In the present tank, the vegetation is sparse because of the frequent catching of the fish. The fish lost their shyness somewhat, but compared to the other fishes, they dart immediately to the back wall as soon as I arrive. The temperature is 2°C. and regular tap water is used. Here in Brno, water on the average has approximately 10-14 D.H. The pH fluctuates between 6.8 and 7.2.

Tropical Fish Hobbyist

gallon of warm tap water. I kept the temperature in the spawning tank at 27°C. I placed a few of the usual plants along the background, and stuck into the sand of the foreground a large leaf of an amazon swordplant, Echinoslesus poincidation. The fish then could choose whichever they preferred. After transferring the pair to the spawning tank, nothing happened for about an hour. It was about 8 a.m., and I put some floating plants on the surface of the water, to reduce the top light. Almost immediately, the spectacle began. The fins of the male, which had turned paler in the meantime, now turned slowly more reddish in coloration and the mating started. The matine lasts for about 2-4 hours. Decending on the size of the fish.

The mating lasts for about 2-4 hours. Depending on the size of the fish, about 500 eggs or more are deposited. The female has to be removed after spawning. The male takes over the guarding of the brood. After 36 hours the young hatch. Thereafter, the male should be removed. In another three days, the fry swim freely around. They are very sensitive to fluctuations in temperature. They require very fine live food.

Male and female tremble side-by-side in upper reaches of the tank.




Before I describe the spawning. I want to point out one more bit of experience. From the literature, I knew that changes in the weather, more precisely in barometric pressure, exert a great influence on the behavior of fish. With increasing pressure—good weather—most species of fish spawn readily. Even in community tanks one always encounters a greater liveliness of all inhabitants. This observation I have confirmed in many experiments. And there is still one more point I would like to discuss: shortly before or during spawning, the fish are not easily disturbed; it is even possible in some species to transfer a spawning pair into another tank, who will then continue to spawn after a short pause. This statement applies especially to tetras and barbs.

The behavior of Copeina guitata (Steindachner) is similar. One morning, while feeding the fish, I noticed the male had a bright red anal fin, and the fernale was moving around in circles. All signs pointed to pre-mating behavior. I had no other tank readily available other than a small glass aquarium of a capacity of approximately 2½ gallons. I knew that this tank was much too small, but I had no other alternative as long as I wanted to record this spawning photographically. I washed the sand, filled the tank with water out of a community tank, and then added approximately ½ of a


The male, fins spread, approaches the female in mid-water preparatory to driving her to the bottom of the tank to spawn. Photo by R. Zukal.






The female then follows the male to the bottom (photo above), where a depression to hold the eags is made in the cravel (helps).









Bettaphile

Frederick J. Kerr

INTERNATIONAL BETTA CONGRESS

The International Betta Congress will hold its third annual Convention and Betta Exhibition at Stouffer's Northland Inn, Detroit, Michigan on June 27, 28, and 29th. In addition to the exhibition, which will be judged by these headed and the state of the by three knowledgeable judges, the Convention will feature workshops on photographing, breed-ing, and feeding bettas, a banquet with a speaker whose name betta auction.

Bettaphiles interested in obtaining more information about the Exhibition and Convention should contact show chairman Bob Paulik, 30363 Indigo, Roseville,

Michigan 48066. Individuals in-terested in exhibiting their bettas, but who cannot attend the Con-vention, are encouraged to ship their entries. The show chairman should be contacted for details.

Dues for the I, B, C, are \$5.00 per year and include a subscrip-tion to the Congress' bi-monthly publication Flare! Dues are payable to Sharen Chappel, 2373 -7th Avenue, North St. Paul, Min-nesota 55109.

Basements and Bettas

Basements and Bettas
Q. 1. I keep eight tanks in a very dark
basement. Would a large overhead light
bulb provide enough light to keep my
fish happy and healthy?
2. What is a safe method for moving

2. What is a sate method for intering baby bettas from a small breeding tank to a larger aquarium? R. S. Deuar, Sudbury, Ontario, Canada

A. I. Strong light is not necessary for the health of most fisher. As long as they can see to food, they can be kept in a healthy state.

state.

2. Fry can be moved at a very young age in a fine mathed net. Another way is to capture the fry in a far and transfer both fry and water to the new aquarium. If the breeding tank is small enough and the new aquarium large enough, it may be possible to actually put the smaller aquarium in the larger and allow the fry to swim out.

Swelling
Q. My male betta suddenly developed a swelling where the ventral fins insert into the body. My dealer suggested a sulfa tonic, but this failed. The betta does not appear sluggish, nor does he



There is nothing more natural than Nature itself

THE MILFORD AQUARIUM BACKGROUND UTILIZES NATURE'S OWN MATERIALS

AVAILABLE FOR ANY SIZE TANK

The above picture cannot possibly show the fall beauty of the Militord Aquarium Barkgrow
Once it is placed invide the squarmen and the lights are turned in the barkground becomes
ringers. It is no elegant, so attractive that the task locks beautility enes before fish, plants,
ornaments are added, And the background is specially made to be trouble-fise. The shall
will be a special control of the property of the special property of the property of the state of the special property of the proper

NOW 8 TIMES STRONGER!

By improving the bonding material, there is no breakage in shipment. Available at all of the best aquarium stores. Millford also makes caves, ledges, food guards, volcanoes and driftwood from the same strikingly beautiful coloriul material.



MILFORD SPECIALTIES CO. 55 ESSEX STREET HACKENSACK, N. J. 07601

Troplem! Fish Hobbyist

Fighting Female () I have a female betta plump with

eggs, but when I place a mirror in front of her, she acts just like my male. Could you tell me why she does this?

Ramon Yi, Miami, Florida

A. All fornale bettas when isolated from members of their own species become pugnacious and well fight just like males until they get the tar beat out of thom either by another female or a male. Don't let anyone tell jou that female bettas don't fight. They most certainly do.



COMPLETE environmental water control *

For years professional and amateur hobbyists have been adding and subtracting things from their aquar-ium water trying to provide an en-vironment in which fish could thrive, reproduce and live comfort-ably.

unit water trying to provide an environment in which fish could thrive, reproduce and live comfertably.

Until the introduction of PICON, man has been unable to scientifically maintain the proper pH, chemical balance and environmental control of his water without the aid of a bewildering array of chemicals and gadgets, most of which seem to work against one another—if at all.

PISCES CHEMICAL CORP., after six years of research and experimentation, has developed a product which will almost totally eliminate the need of worry or concern over factors of water control which plague hobbyists.

PICON maintains water at a pH of about 6.5 at which most fish thrive. Their color improves markedly, fish are more active and, in many instances, fish difficult or impossible to breed, will now breed readily.

Water becomes crystal clear, waste-free, and with constantly, slightly acidic water, the incidence of bacterial and fungicidal infections drops markedly since these organisms cannot thrive well in an acidic medium.

1. PICON is non-toxic to fish and plant life.
2. Ammonia, one of the deadlest chemicals to fishes, is eliminated.
3. PICON, which is water insoluble, removes organic wastes from the water.
PICON is not a cure-all, it is not a miracle drug; it is applied scientific chemical control of your water with the absolute minimum of trouble and bother to the hobbysis (place it in your filter and forget it). PICON lasts three months, depending on initial water conditions and on the number of fish in the tank.
PICON comes in a nylon pillow for box filters or with a cartridge for use with under-the-gravel filters. One PICON pillow will properly maintain a 5 to 30 gallon aquarium.

PISCES CHEMICAL CORP., P.O. Box 435, Coral Gables, Florida 33134
U.S.A., Territories and Possessions Only

NAME STREET STATE CITY ZIP

Satisfaction Guaranteed or Money Refunded if used according to directions.

ALL OTHER FILTERS UNDER GRAVEL FILTER

WHOLESALERS INQUIRIES INVITED \$2.98

Tropical Fish Hobbyist

14

fishes (genus Synodontis) are also very easy to understand, as are the treatments given to both the naked

and armored catfishes.

It may be presumed that the comprehensive and detailed information provided about the most popular species of catfishes, the Gorydorar species, will be appre-ciated by all aquarists. The profusion of illustrations in this section includes over forty in full color, together with a similar number in black and white, and they all collectively depict a wealth of visual information relative to color pat-terns and size differences of the

variant species within this large genus of catfishes. The special series of black and white spawning photographs are of particular significance to aquarists who have the urge to attempt to breed the more

easily acquired Corydoras.

Many aquarists will be pleasantly surprised to know that there are so many varieties of Corydoras, some of which require very careful visual scrutiny to distinguish one species from another because of the similarity of their markings. This very revealing book about catfishes should adorn the bookshelf of every aquarist for ready reference.

Please Mention T.F.H. When Writing to Advertisers

RIVULINS OF THE OLD WORLD

PS-660

Col. Jorgen Scheel

The world's foremost au-thority on killiefishes reveals everything hobbyists want to know about the most colorful and fascinat-ing of all freshwater trophistory, exact place of origin . . it's all in this fine work. Almost 500 pages, with many color photographs. \$15.00



t.f.h. Publications.

May, 1969





Tidy INSIDE HANGING FILTER

Self-starting, high power ac-tion. NO SIPHON NEEDED. Works at low water levels. Easy to clean.



FILTER FLUFF

FILTER FLUFF

Anufactured by EUREKA PROBUCTS CO. 4 Bruse St., Hewark, N.
WORLD'S FINEST AQUARIUM PRODUCTS

at Realistic Prices!

TRONIC High Quality Products

Tronic Products have been developed for the serious They are of the finest quality and have been tested and proven by serious hobbyists for years . . . before

FRESH WATER PURIFYING MEDIUM - Developed



MARINE PORIFYING MESIUM (Indic axchange resins and carbon, Yet carefully balanced of the position of the posit

ACTIVATED NEAVY CARBON - Long Lasting Active Heavy Carbon. For all aquariums. Exceptional quality Many more times active than any other carbon in the market. Forms an excellent swall price faltestion bed. More economized than charcoal and more valuable for the aquarium.



FILTE MAT - The ultimate in aquariem filtration. Made of unique butk polyesters, inert and non-tacic in fresh or marine water, strong and resisient, full efficiency achieved with no air trapport in mesh. Many times more effective then gizes wool. Stays positively submerged. 192 sa. in. can be cut with scissors to fit any type filter.





TRONIC PRODUCTS ARE AVAILABLE TO YOUR DEALER THROUGH WHOLESALERS OF GEISLER PET PRODUCTS AND AVAILABLE TO YOUR DEALER IMPOURIES INVITED).

TROPICAL FISH PATTERNS INC., SUITE 302, 921 BERGEN AVENUE, JERSEY CITY, NEW JERSEY

May, 1969

Turn off your bubble machine and take a stroll with the author along the southern California beaches. You're sure to meet . . .

Lawrence the Whelk

BY DORIS WHITNEY



While visiting friends in Malibu, California, over the Fourth of July, I collected several shells I had not seen before. Two especially in-teresting, the former being the diet of the latter, were Pholadidea

penita, the common piddock, a very

Lawrence the Whelk, also kno as Kelletia kellettii. Photo by

Tropical Fish Hobbyist

una and oddly scluptured shell, and Kellena kelleni, Kellet's whelk. My host told me that a nearby restaurant kept a tank of full-grown Kellet's whelks (about six inches long; mine was just over an inch) along with crabs, small sharks and other marine creatures for the menu and the amusement of the customers. The whelk had a handsome shell, but I couldn't work up any

enthusiasm over eating one.


From Malibu I went down to San
Diego and first shelled Mission Beach all the way up to Palisades Park, and at La Jolla from Scripps Oceanographic Institution down to the Cove. The next day I took the ferry across to Coronado and went down to Silver Strand Beach. After a frustrating couple of hours trying to look through the dancing surf, I gave up in that location. However I did go across to the Bay side and find a perfectly beautiful Bulla gouldian gouldiana, which I carefully wrapped in paper because it is one of the most fragile of all shells.

Going on to Imperial Beach I ran into an old friend, Laurindo, who told me the best and largest selection of shells was around Needle Point, next to the Mexican border.

We bought hamburgers and, after driving to the end of the road, walked along the sand. Almost immediately I had both hands full of shells and had to pick up a plastic bag from the sand because my straw basket had been left in the car. This was much better than I had expected. The beautiful Sanguino-laria nuttallii, which evidently has no common name, deep purple in-side, with shiny light brown periostracum, was new to me, as was ostracum, was new to me, as was the equally shiny Pismo clam with its lovely porcelain-like interior. I found a much larger Crepidula fornicata than I had ever seen in the Caribbean (where it is also found) and a Pododesmus macroschisma (pearly monia), of the most fantastic shade of iridescent green.

Down at the estuary we started

"I don't care if I am a fish...I'm still thirsty."



May, 1969

TWO GREAT NEW AQUARIUM PRODUCTS BY SUPREME...

Revolutionary in Design-Outstanding in Quality!



WILL NOT LEAK! COSTS NO MORE THAN CHEAPLY MADE VALVES! Don't Accept Substitutes! Look for the name Supreme on the mounting bracket.



New! Exclusive! SUPREME SWITCHMASTER

COMBINES MULTIPLE ELECTRICAL OUTLETS RIGHT ON THE TANK!



Eugene G. Danner Mfg. Inc.

to wade across. There were several people on the other side, but we never could find the high sandbar. The water would come up to our knees and then suddenly drop off. We tried several different routes, but the current was quite strong and we finally had to give up. I was disappointed: the more remote the location, the better the chance of finding interesting undiscovered shells.

On the way back I found the star attraction of my expedition, a live Kellet's whelk. It was about three inches long and slightly faded, so I really didn't pay much attention to

Home in San Francisco I began to think how I had seen the whelks in the restaurant. I telephoned a rather inquisitive friend who was fond of experimenting and asked if he would like to taste a Kellet's whelk. To my surprise he declined the pleasure, but added that he would like to see it.

That was the first time it occurred to me to keep the whelk alive. It had just been tossed into a bag and packed away in my suit case, loaded into the baggage compartment of the plane and carried home. It had been out of the water about six hours, but the hardy little molluse didn't appear to show any ill effects. Left alone on the kitchen table, it came out of its shell and began to crawd along.

First thing in the morning I ran down to Aquatic Park, filled a jar with sea water and brought it home. I put the whelk in a glass bowl with the water and a rock. The rock didn't interest it much; it seemed to prefer clinging to the side of the bowl.

The next problem was what to feed my whelk. At first I brought it an assortment of limpets off some rocks in the Marina. Then I called the Steinhart Aquarium and asked their advice on care and feeding of whelks. They suggested it might like clams. I went to my neighborhood seafood shop and asked for one clam. They were puzzled, and not exactly sympathetic when I told them it was to be whelk food.

Installed in the bowl, the clam came right to life. Several days later I noticed that two of the limpet shells were cleaned out, the clam

MOVING ?

If you are, you'll want your subscriber's copies of TRO-PICAL FISH HOBBYIST to be mailed to your new address, so please inform us, as soon as possible, what your new address will be. Letting the Post Office know isn't enough.

When writing to inform us of a change in address, please provide us with your old address, too; the best way is to send along an address label from a recent issue. You won't miss a single copy of your favorite hobbyist magazine if you inform us of your new address at least six weeks prior to your moving date. was dead and the whelk was still alive. My conclusion was that the whelk had eaten the limpets, but I never learned why the clam died.

From a book in the library I learned that whelks feed on piddock. Having just found one of those in Malibu, I knew what to look for. Out at Fort Point, under the Golden Gate Bridge, there is quite a rocky shoreline next to the seawall and, as expected, piddock had bored into ny of the rocks. But evidently other animals, perhaps crabs, also are piddock eaters; all the shells were empty. I scraped another mis cellaneous group of limpets off the rocks and also picked up a black tegula. The latter animal is quite pretty, having a black and white head and six delicate feelers. It was very much at home in the bowl, busily investigating everything.

A few days later whelk and tegula were locked in an embrace that could only be a death grip, but whose? As it happened, the whelk polished off the tegula, leaving the shell fairly clean.

Every three weeks or so one tegula was consumed in a sort of all day feast. The more I observed the various habits of my whelk the more attached to it I became. People would greet me with, "How's Lawrence?", which was the name I had given it. I kept a page in my shell notebook recording the times and items it ate. When the weather turned warm I put it in the refrigerator, as suggested by the people at the aquarium. But one hot spell may have been too much for it. It died quietly last week, but not without leaving its impact.

In the bowl with Kellettia kellettii are a hermit crab, Pagurus samuelis (in the shell of Cantharus mocrospira) and a black murex, Muricanthus nigritus. Photo by the author.



May, 1969

stead of enjoyment and productive relaxation as things begin to go bad, so he chucks the whole thing, maybe passing his equipment along to someone else who is likely to repeat the excitement-frustration experience. It's my belief that most people who begin as budding aquarists but later quit keeping tropicals in disgust all make the same mistake: they don't ever bother to learn the ground rules of the game, the basics of sound aquarium management. They don't start smart.

This column will be about the basics of sound aquarium management. Topics won't necessarily be treated in the order of their importance as they affectsuccess or failure, but they will all be concerned with telling beginners about the pitfalls to avoid and some of the helpful things to do. Following is a onceover-lightly discussion of some of the more obvious aquarium troublemakers; the topics covered here

form far from a complete list, but they're a good beginning. Don't crowd the tank

One inch of fish to each gallon of water is a good rule for beginners, even if it is unrealistic for experienced hobbyists. Use it as a guide (and don't count the tail in figuring the length of the fish).

Don't overfeed

Uncater foods cause the water to get foul, and foul water kills fishes. Make sure that everything you feed the fishes gets eaten within 10 minutes or so.

Don't turn on tank lights

suddenly

The sudden appearance of bright light in a previously dark tank in which the fishes have been comparatively inactive causes them to dash wildly about the aquarium, possibly injuring themselves by hitting against the sides of the tank or rocks or other objects in the tank. Always try to turn on a small

Tropical Fish Hobbyist



BY WILFRED L. WHITERN, F.Z.S.

This is the initial column in a new series intended to be of special help to beginners in the hobby as well as of interest to more advanced fanciers. Mr. Whitern is an author, illustrator and lecturer of note whose work with aquarium societies has earned high praise from international authorities.

Most new aquarium hobbyists get interested in keeping tropicals because they've seen an attractive tank setup in the home of a friend or at a pet shop. They see the colorful fishes weaving their brilliant way around the tank and decide that they'd like to have a tank or tanks of their own. The beauty of the plants in a good-looking aquarium serves as an additional stimulus, because most of us harbor at least a little bit of the horticulturist. Of course, there

also are other reasons why people get interested in aquariums. For some, it's not the colors or beauty of the fishes that is the main attractant . . . they just like things that live in water. Others get bitten by the aquarium bug because they're shopping around for a hobby, something to occupy their leisure hours. Whatever the reasons for a person's getting involved with tropicals, most neophyte aquarists have one trait in common: enthusiasm.

They're excited about something

They're excited about something new to them, and they want to enjoy it to the fullest.

Unfortunately, the first flush of enthusiasm often pales into indifference as the new hobbyist starts to meet trouble head-on in the form of dead fishes, wilted plants, dirty tanks and the many other forms aquarium troubles can take. The lively, colorful tank he had hoped for becomes a source of annoyance and disappointment in-

SMITHSONIAN INSTITUTION

Washington, D. C. 20560

The Smithsonian Institution and T.F.H. Publications, Inc., are pleased to amounted the publication of a reprint, including the color plates, of the Philippine Bureau of Science's three Monographs on Philippine fishes: No. 1, Jordan and Richardton's Checklist, 1909; No. 23, A. W. Herre & Gobbies, 1927; and No. 24, Montalbar's Pomacentridae, 1927. These rare historical works are available in a clothbound volume for \$5.50.

Two earlier numbers in this reprint series are Jordan and Evermann's "The Fisher of North and Middle America," U. S. Nat. Mux. Bull. 47, Vols. 1-4, 1896-1900. Sol. On the State of Siam or Thailand, "U. S. Nat. Mus. Bull. 188, 1945, \$450.

Orders for these books, accompanied by remittance (postpaid) should be addresse

Publications Distribution Section Editorial and Publications Division Smithsonian Institution Washington, D. C. 20560

room light and have it on for at heavy five minutes before turning on the tank lights proper.

Don't tap on the aquarium

Tapping on the aquarium many mes causes the same results as suddenly turning on the lights; smaller fishes seem especially sus-ceptible to disturbance by tapping. Don't put the aquarium where it will receive direct sunlight

There are two distinct problems caused by putting a tank where it will receive a good deal of direct light. First of all, the sunlight will cause the proliferation of algae. The algae are bad not so

Please mention T.F.H. when writing to advertisers



use SNAIL-RID

ENJOY CONTINUOUS LIVE FOOD SUP CLEAN, DEPENDABLE, FOOL PROOF

oil Coupon Today! DALECO, 416 enalby, Tonawanda, N. Y. 14150. I close \$. . Rush postpaid

- Glenelby, Tonowonde, N. Y. 141
 andiese S. Bush pe
 an Money-Bock-Guomntee.
 Culture sinedad (seediff) Froit Fine)
 DOSOFTHIA ASATE SEEDER
 Culture sinedad (seediff) Froit Fine)
 DOSOFTHIA ASATE SEEDER
 Culture pick 1 yr. AGAR teoph
 MISCOWORASS SEEDER
 MISCOWORA Fruit Flies)
 REEDER
 supply 3.00
 1.00
- 6.00

much because they turn the water green but more because they present a very real danger to the fishes should they die. If they die all at once they'll foul the water horribly. Secondly, placing the tank in sunlight usually will have the effect of making the temperature of the tank fluctuate more rapidly than it should, and fairly abrupt temperature changes are

bad news for tropicals. Don't put unwashed gravel into the tank

The bad results caused by using unwashed gravel affect appearance more than they affect the health of the tank's inmates, but they don't do the fishes any good, either

NEW FROM A double value FROM * double usage



TWIN (HIP) STAND

Accommodates two 10-,15-, or 20-gallon aquariums.

The only stand which can take two tanks of the same size.

Available in black or special colors.



STORE SET-UP

Modernize your store, laboratory or breeding room with this store set-up. Heavy angle-iron stand with stainless steel covering on the front. The doors to reach the tank are held magnetically up when you are catching the fish
... but they keep people's hands
out at other times. Sliding

formica storage compartment on the bottom. Formica covering between units. AVAILABLE

FROM PET SHOPS

ON SPECIAL ORDER

MIRACLE / BADER

Change Bridge Road, Box 354 Pine Brook, New Jersey 07058

Tropical Fish Hobbyist

All right, it's not from Lake Nyasa (Malawi, if you prefer), but at least this interesting cichlid comes from Africa . . . so maybe it's stylish



Nannochromis nudiceps

BY H. J. RICHTER

In addition to the beautiful species that make up the genus Pelmatochromis, Africa supplies us with still another group of dwarf cichlids: the different species of Nannochromis. As far as recent knowledge goes, this genus includes Nannochromis nudiceps, Nannochro-mis dinudiatus, and Nannochromis squamiceps. All three species come from the area of the lower Congo, including the so-called "Stanley

Pool," a lake-like enlargement of the lower Congo River.

The three known species of Nannochromis diverge a little in body shape from most fish species that come from similar habitats. It is a characteristic feature of the genus that they show an upward curve of the body; this is especially

pronounced on older specimens.

Adult male N. midiceps are about 24 inches long, while the females May, 1969



A female Nannochromis nudiceps showing partially extended ovipositor, Photo by Wolfgang Bechtle.

generally grow \(\frac{1}{4}\) inches less than the males. The basic color of the elongated body is greenish-yellow. On the sides of the body and head one finds gorgeously shiny light-blue spots, while the belly of the fish glitters emerald green. Further to this we observe a delicately pink coloration above the anal fin, especially during the mating period. The dorsal fin has a white seam, which is closed off upwards by the nearly black tips of the fin rays. The upper half of the tail fin is banded in black and white, while the lower half shows a dot design.
As far as water is concerned, N.

mudiceps is not very demanding. You may keep it in hard water as well as in soft water, but, of course, if kept in water that is soft it will show prettier colors. Water filtered through peat moss suits the fish especially well. If you want to keep N. mudiceps in a community tank, do so, but in this case do not forget to provide for shelter in the form of rock structures, coconut shells or inverted flower pots. The fish like to retire into such hiding places, especially right after having been put into the tank. Fundamentally, N. nudiceps is quite shy, but this shyness recedes a little if one re-frains from changing the set-up of the tank all the time. It is best at first to introduce only one pair in the tank. After the fish have taken possession of a cave, this range is defended against any trespasser, and they seldom leave it. N. mudiceps will also spawn, if kept in large tanks stocked with relatively few Under favorable circumstances you will one day see the parents leave their cave followed by a swarm of small fry. In a comnity tank, though, the number of young will tend to decrease, despite the attentive and intensive defense put up by the parents. After a few days the young will range so far that the parent fish will no more be able to keep an eve on them. It is then that the fry generally are victin




& decorates your aquarium.

THE NEW MIRACLE SPAWNING
GRASS WAS DESIGNED AND
MANUFACTURED TO PROTECT
NEWBORN BABY LIVEBEARERS.
IT ALSO SERVES TO PROTECT THE
EGGS OF MOST EGGLAYERS
WHICH SCATTER THEIR EGGS,
SUCH AS ZEBRAS, TETRAS, BARBS,
AND WHITE CLOUDS. GOURAMIS AND BETTAS BUILD THEIR
BUBBLENEST AROUND THE PLANT
AND WHEN YOU DON'T
NEED THE PLANT FOR SPAWNING, IT MAKES A BEAUTIFUL
BUSHY GIANT MYRIOPHYLLUM
IDR. HERBERT R. AXELROD HAS
A 150 GALLON AQUARIUM IN
HIS OFFICE. .. IT IS DECORATED
WITH 24 OF THESE PLANTSI]
THE PLANT IS MADE OF NONMIRACLE PLASTICS COMP. BOS 1218, LONG ERACL
MITHER LANT IS MADE OF NON-THE NEW MIRACLE SPAWNING

MIRACLE PLASTICS CORP. BOX 8128, LONG BEACH, CALIF. SORTO MIRACLE PLASTICS (N.J.) CORP. BOX 33, JERSEY CITY, N. J. 07303 BADER INDUSTRIES, INC. CHANGE BRIDGE ROAD, PINE BROOK, N. J. 07058

TOXIC SPECIAL PLASTIC WHICH FLOATS. ON EACH END IS A LEAD WEIGHT. BY REMOVING ONE LEAD WEIGHT, THE PLANT STANDS LIKE A NORMAL PLANT, BY REMOVING BOTH IT FLOATS, BY UTILIZING BOTH LEAD WEIGHTS, THE PLANT STAYS ON THE BOTTOM FOR ROTTOM THE BOTTOM FOR BOTTOM SPAWNING SPECIES. AVAILABLE IN PETSHOPS ONLY. MADE BY THE PEOPLE WITH KNOW-HOW





Male Nannochromis nudiceps, Photo by Milan Chvojka,

by the other inhabitants of the tank. If your tank is densely planted, and you are rather fortunate, a few of the baby fish will survive and grow up. Where is the aquarist, though, who will content himself with only a few young?


If you want to raise many young from each spawning, you have to set up a special breeding tank. I use a tank measuring $28 \times 12 \times 10$ inches for this. The bottom covering consists of a 14-inch layer of gravel with a granulation of about i inch, which, by the way, is the kind of bottom cover one should use for breeding all dwarf cichlids, since it fits well into their mouths when digging and rooting. Further-more after hatching this kind of bottom prevents the helpless fry from slipping into the interstices of the gravel.

Something that is a "must" is a cave, which in my special case was represented by an overturned flower pot. This has a hole in the upper part serving as an entrance for the fish. Besides this I usually also place a few coconut shells and a driftwood root in the tank. These things offer protection to my pets during those eventual fights which, after all, will happen in any family. A couple of pieces of petrified wood and some branches of blackroot fern complete the decoration of the tank. As to technical accessories, a fine-grained air stone, set to deliver a minimum of air, is placed inside the container.

In my breeding tanks I use a mix-ture of tap water with a hardness of about 18° dH and rain water with about 4° dH, at a rate of 1:1. To this I add peat extract until the



May, 1969



Here the male has entered the flower pot and is removing gravel from inside the pot, piling it up below the entrance hole. Both male and female stay inside the pot for a while, but the male is chased out after the eggs have been laid. Photo by the author.

water shows a light brown color, and, in order to lower the pH value to about 6, a bit of Zoropin (a liquid plant-growth-increaser with an acid pH value, supplied by the firm of Fritz Rose, Weimar, Germany). The tank is kept under constant strong aeration during one or two days, and then the pair of breeders is released in it. The temperature should measure about 76° F. At first you will see very little of your fish, for they retire to the nearest hiding place as soon as they can, and treat themselves to a nerve-restcure. This they do each for himself (or herself) in separate corners of

the tank. You will see the fish only the next day providing that you have not made them restive by your own excessive proximity. Then they will inspect the tank. During this inspection trip especially the male inspection trip especially the male will approach the overturned flower pot repeatedly and look inside. After this the male generally takes up permanent residence there. He then stands in the opening, having a look-see at the neighborhood. If he sees the female passing by, he generally leaves the cave in a hurry and courts her with tremblings of the body until she corresponds by also starting to tremble and swims



After the fry have become free swimming and regularly leave the flower pat with the female, the male is allowed to rejoin the family group, and he actively helps in

herding the youngsters about the tank. Here the male shepherds one flock while the female gathers stragglers from inside the overturned pot, Photo by the author.

through the tank together with him. Then they both take up their abode in the flower pot, which they leave only rarely.

The female now grows visibly

rounder in the belly region, and one notices that the fish are ready to spawn very soon. Besides this, they make comprehensive preparations which extend over several days. The first thing done is to re-move all pebbles from the flower pot. For this a mouthful of pebbles is taken up, carried to the entrance and spit out there. Thus a cone-shaped mound of gravel is built up in front of the opening, reaching nearly up to the admittance hole.

Both mates partake of this toil. In my tank I was able to observe two things, namely: that the fish pre-ferred the flower pot as abode over all other caves, and that they cleared our nearly all pebbles. Consequently I was always able to set up the breeding tank in a manner which would permit me to watch the fish during their preparations for spawn-ing. The only thing I had to do was to place the pot with its opening turned towards the viewing pane. This also made it possible for me to photograph the fish very well while they were busy cleaning out their

Shortly before spawning the

Sometimes you get more than you pay for.

Take a Miracle Robin Heater, it has all the parts that the most expensive heaters in the world have, it is fully covered by a guarantee by one of the largest companies in the pet industry. It has a full ceramic nichrome heating unit. It has a calibrated adjustable head. It is fully automatic and has a built-in thermostat.

All you do is plug it in, turn the dial until the light rose on and Fake a Miracle Robin Heater.
It has all the parts that the most ensive heaters in the world have, it fully covered by a guarantee by of the largest companies in the industry. It has a Pyrex heatstat tube, it has a full ceramic hrome heating unit. It has a calited adjustable head. It is fully omatic and has a built-in therstat.

Ill you do is plug it in, turn the until the light goes on and



... more than a

May, 1969

MIRACLE PET PRODUCTS, INC., Box 33, Jersey City, N. J. 07303 Export Inquiries: MIRACLE PLASTICS EUROPA N.V., Waalhaven Z.z.40, Rotterdam, Holland

Tropical Fish Hobbyist



In setting up breeding tanks for cave-spawners like Nannochromis, the author always provides a choice of places for the fish to use as refuges prior to spawning and as the site for depositing the eggs. The tank used for N. nudiceps contained both flower pot and halved cocoanut shell, even though only the flower pot was used for the actual spawning. Kept in tanks that contain gravel and rocks but no cave-like structure, this species will soon make a cave of its own by burrowing under the rocks. Photo by the author.



The free-swimming fry greatly resemble Pelmatochromis kribensis of the same age and are always on the lookout for food. Photo by the author





Up to now, the only way flake food could be made was with lots of air so a fish could gobble up a big piece and fool the hobbyist into thinking the food was delicious when actually the fish was starving because he was eating air!

Miracle did it again. Our see-through can of fish food is about same size as other fish foods in flake form, BUT LOOK AT THE NET WEIGHT ON THE CAN.

And look at the assortment! We made flakes out of algae for and livebearers that need vegetable matter in their diet; we made flake food out of brine shrimp because all fish love brine shrimp and it's good for them; we made flake food out of tubifex worms because that's another fish favorite and has been proven to be an extremely nourishing food over the years. Then we mixed them all together in daily diet, plus some other goodies, and made the best flake food range we could.

Dr. Herbert R. Axelrod developed and tested this line of foods for us, and it is the only fish food in the world authorized to use his name on the label. MURACLE PET PRODUCTS, INC. BOX 33, JERSEY CITY, N. J. 07303

female becomes completely rotund in the belly region, and one clearly recognizes the extruded ovipositor. The male, too, shows his genital papilla, but this is narrower and orter than the female's tube.

1 ij

Export

Now the fish start courting more frequently and cleaning the inner side of the flower pot or, to be more exact, the roof of same. It is here that, after intense chasing, the eggs are deposited by the female and fecundated by the male. The yellowish-white eggs then hang from the roof by means of threads and are actively cleaned and fanned by the female. After the act of spawning is finished, the male has no more business in the cave, and has to linger around outside the pot. Now and then the female permits

him a quick glance through the admittance hole, but as a rule he is chased away.

In most cases it will take the female eight to ten days to come out of the flower pot followed by a swarm of young fry. The number of young of my pair increased from about 80 at the first spawning to about 140 on later occasions. After the female has taken the brood "for a walk" for the first time, the male becomes spruce again and keeps re-peatedly edging into the swarm. At first the female does not view his intrusion favorably, but she is simply unable to get rid of him, in spite of chasing him away as many times as she can. Since the female seems to understand that this cannot be helped, soon both parents are lead-

for the advanced hobbyist

Sword
Sword and popular of aquarium fishes. The book "Swordtails For The Advanced Hobbyist", by Drs. Myron Gordon and Herbert R. Axelrod, is a few any amparist who desires to Gordon and Herbert K. Akenou, is a must for any aquarist who desires to increase his knowledge of these special fishes. Detailed information as to maintenance, genetics, identification and reproduction are included along with numerous scientific color photographs which will aid you in understanding and properly identifying these handsome fishes, including all the very latest man-made varieties (lyretail, hifin, fancy blacks, etc.). Printed on thick, glossy coated paper, this book will last you a long time so that you can continually refer to it. This is the best book ever published on swordtails — a worth-while investment for only \$2.00.



Florida's Most Modern and fully stocked Hatchery presents a Partial List of our



ROPICAL

Monthly Specials



Aguatic Fisheries



Attention Guppy Exhibitors:
The 8th International Austrian Guppy
Show will be held July 13-20 in Vienna.
For complete information about the
show and details regarding entry
rules, contact: Dr. Karl Knaack, Wien
II, Untere Augartenstrasse 1-3,
Austria

Mystery Illness
Q. I have seven tanks at home, all containing beautiful guppies. Up until recently all noy fish were thriving, but now they are dying off in alarmingly large numbers. They look as though their internal organs are ready to come out. I

DELTA TAIL GUPPIES

Quality fish from trophy-winning stock. lealthy supples with excellent color from large bodied delta tall strains. Guaranteed to breed true. bodied della tail strains. Guaranteed to breed true. Green Cobra Deltas, \$15 pair \$20 trio Blue or Green Deltas, \$10 pair \$14 trio FISH SHIPPED ARE 3 TO 4 MONTHS OLD GUARANTEED LIVE DELIVERY POSTPAID AIR MAIL SPECIAL DELIVERY

Send check or money order to: GLEN L. PARRISH 10032 McLENNAN AVENUE GRANADA HILLS, CALIF. 91343 Phone 363-5563

nave sposen and/or written to a number of people regarding my problem, but no one seems to be able to offer any helpful suggestions. A friend of mine has the same prob-lem with his fish. I have tried using salt, but the fish don't seem to respond to it. Do you have any suggestions?

Robert Lewis Bloomington, Indiana

SHOW STOCK GUPPIES

Large bodies, wide tails of Show Stock Guppies. Choice of King Cobro, blues or multi-color. One pair \$9.99, Iwo pair \$16.99, one trio \$12.00. Each strain will breed true. Price includes packing, shipping. Live deliveries guaranteed. If more than one strain ordered, each strain will be bagged separately. Check or money order must accompany order.

JOHN DYSON 36 Nellie Street Providence, R. I. 02850

Tropical Fish Hobbyist

A The resistion you describe sounds like extertise It is most over consently the feeding of stale by find or spilled forces food. Feeding a large carrety of foods in parties condition and feeding in small amounts is the best method of prevention.

I mount Mutation, Show Lighting Q. 1. I have gone into raising fancy weiltail guppies and have been giving away the plain young ones. I have noticed something a bit different among the males of my common stock; I have found several with spear shaped tails. Are they worth raising? Are they a breed?

2. Is there a special lighting for entries at a guppy show? If so, what type I would be supply show? If so, what it is used?

Ralph A. Donatelli Waldwick, New Jersey A. 1. Spear-tailed guppies are bred in Europe and are especially popular in England. They have their own judging standard, Ves, they are a breed and definitely worth raising.

2. Each individual guppy society

2. Each individual guppy society takes care of the lighting arrange-ments for its own show.

Please mention T.F.H. when writing to advertise

TRUE-BREEDING **GUPPIES** RON and TINA AHLERS



ta tall.

2 pair 1 trio 2 trios
522.00 \$18.00 \$32.00
r micro-worm culture-add \$3.00 tr
der. Prices include Air-Mail Special

Send check or money order t P. O. Bex 208-F1, Deer Park, N. Y. 11729 Live Delivery Guaranteed

Please Mention T. F. H. When Writing to Advertisers

FIRST PRIZE WINNER AT THE INTERNATIONAL 1960 GUPPY SHOW, BERLIN, GERMANY

THE BRONZE DELIGHT

After more than 20 years of breeding exhibition gaugies, Mr. Mortung new introduces his guardest exhibition—the Brance Original with supple Vol. Lost breeds true. They are a firm halved of guides and gave yearder. You may choose from Green, Lespond, Biot, Veriagailed or files gueen halt, \$16 per poir. (\$3.00 exhibition for friet).

Other prise winning varieties are your choice of Red. Black, Black, Dork Blov, Variagailed—and \$3.00 exhibition of the prise winning varieties are your choice of Red. Black, Black, Dork Blov, Variagailed—and \$3.00 exhibition of Africa Veriagailed—and the School of the State of Africa Veriagailed—and \$3.00 exhibition of Africa Veriagailed—and Lead of the School of Veriagailed—and \$3.00 exhibition of Africa Veriagailed—and Lead of the School of Veriagailed—and Ver

UNCOMMON CURE FOR A COMMON DISEASE CAUTION: Keep out of the reach of children. See Mirate back panel for additions Dr. Axelrod's Formula ich/white spot cure

12 TABLETS • 98¢



Dr. Azelrod's Formula
ICH/WHITE SPOT CURE
Is not a core-all: it's a specific core for a specific disease, specifically formulated to remedy
ich/white spot. That's one reason why it's the best. When your fishes come down with ich,
consult your specialist . . Dr. Azelrod's Formula ICH/WHITE SPOT CURE. Handy, economical, easy-to-use tablets make it easy to cure ich.

P.S. Each "matchbook" tablet package has a different fish photo in back of which is a full description of the fish and a story about it. This series is included in our REMEDY AND TONIC, ICH/WHITE SPOT CURE, and STOPS ALGAE. When you have collected the entire series of 48 photographs, send them with \$3 and you will get an autographed copy of Dr. Axelrod's ENCYCLOPEDIA OF TROPICAL FISHES.

Send to MIRACLE PET PRODUCTS, INC., Box 33, Jersey City, N. J. 07303



salts FROM THE seven seas

ALEBED A SCHULTZ

Q. 1. Must I feed only live food to

the fishes I am going to keep in my tank?

2. Do you advise including live plants in the marine aquarium?

William Frank

William Frank New York, N. Y. A. 1. Live food should make up the bulk of the marine diet. One can occasionally give some small quan-tities of prepared foods, but again live foods are most preferred by the fishes.

2. Most marine hobbyists do not 2. Most marine hobbyists do not include live plants in their tanks. They are difficult to keep and once they die they can foul the water very quickfus.

Q. 1. Can a small California octopus live peacefully in a community marine aquarium?

2. How many fish can be safely kept in a ten-gallon marine aquarium?

Tommy Paxton

Tommy Paxton Gardena, California

Please Mention T. F. H. When Writing to Advertisers



WHY RILA MARINE MIX?

Provides the ideal media for all morine life.

Ask your dealer today or write for complete Product
Information Bulletin and free Salt Water Bulletin.

RILA PRODUCTS • Box 114, Tenneck, N. J. 07666

A. 1. Any octopus is better off in a tank by itself, When you keep an octopus in a community tank there is always the risk that it will release a cloud of ink and thereby foul the water for the rest of the inhabi-

water for the rest of the inhabi-tants.

2. You can keep four 2-inch fishes in a ten-gallon tank. You should remember, though, that with proper equipment and the maintenance of optimum aquarium conditions you can keep more fishes than the num-ber given above.

Q. How big do dwarf sea horses become, and is baby brine shrimp the only thing they will eat?

they will eat?


Cindy Alder,
Santa Clara, California
A. Dwarf Sea Horses attain a size of
about a little over an inch. For the
average hobbyist, neutly hatched baby
brine shrimp is the only food that I would
necest. suggest.

MARINE FISH SHIPPERS USE "NEPTUNE SALTS" TO KEEP SALT-WATER FISH ALIVE FOR YEARS AND YEARS



WESTCHESTER AQUARIUM SUPPLY CO.

INC.
184 Mamaroneck Ave., White Plains, N. Y.
Tel.: 914 WH 8-0011



It answers all your avestions about **Marine Aquariums**

Inside the cover of this remarkable new book is all the information anyone needs about marine aquariums. In language anyone can understand, Written and prepared by a noted marine biologist, this secinating book owers the subject committee of the secondary of th

AQUARIUM STOCK
COMPANY, INC.
31 WARREN ST., NEW YORK, N.Y. 10007
6070 SEVERLY 9140, LOS AMGELES, CALIF



canned BRINE SHRIMP

LEAVE IT TO MIRACLE FOR MIRACLES. WE WERE THE FIRST TO FREEZE-DRY BRINE SHRIMP

AND WE ARE THE FIRST TO CAN IT. NO MORE PROBLEMS WITH LIVE OR FROZEN BRINE SHRIMP. THESE ARE CANNED AND COOKED AND THEY THESE ARE CANNED AND COOKED AND THEY
STAY FRESH UNTIL YOU OPEN THE CAN.
IDEALLY SUITED FOR MARINE FISHES, THEY ARE ALSO EXCELLENT FOR GUPPIES, PLATIES, MOLLIES, ALSO EXCELLENT FOR GOTTLES, PLATTES, MC SWORDTAILS, CICHLIDS AND LARGE TETRAS. AVAILABLE IN TWO SIZES, THE MIRACLE NORWEGIAN BRINE SHRIMP COMES IN A NORWEGIAN BRINE SHARED CAN WITH A SPOON AND REPLACEABLE COVER MUST BE REFRIGERATED OR FROZEN AFTER OPENING.

Available at pet shops only. MHRACLE PASTICS (N. I.) CORP., Box 33, Jersey City, N. J. 07303
T.F.M. Publications (Landon) Ltd., 13 Notice Jan., Reignte, England
T.F.M. Publications (Landon) Ltd., 13 Notice Jan., Reignte, England
MINACLE PLASTICS (EMPIR M.Y., Washburen Zz.40, Rotterdon, Holland

MAIL CALL

Elephant-nose Platies
Q. I have been breeding livebearers for about four months. Recently my gold wagtail platy female had 21 babies. One or two of these babies have a short pro-boscis between their eyes. I would like to know if this is common among

counts between these eyes, I would like to know if this is common among platies and what the cause of it is.

Hames Barg,

East Brunswick, New Jersey

A. It is very difficult to say shaft the cause of thit condition is without examing the fish. It could represend a mutuation, not a very desirable one at that, It has not been reported in platies precisionly.

Crossability

Q. Can a guppy and a swordtail be crossed? In my 10-gallon aquarium I have some guppies and a swordtail, One of the guppies had babies and one of these was a male with a sword. Is this a hybrid?

Joseph Bergeron,

Joseph Bergeron, Bear, Delaware

A. No one has ever come up with a fish which scientists believe is a hybrid between these two species. Many people have tried these wide crosses, but no one has had the desired results. It is a truipy among the desired results. It is a trains among the livebarers that crosses between genera are difficult or impossible to make. The single exception is the cross between the guppy and the melly. These hybrids are short-lived and sterile. It is therefore probable that the fish you speak of is merely a moordinalled guppy.

Banded Killifish

Banded Killifish
Q. I have three banded killifish in an un-heated but filtered aquarium. I can get large numbers of these fish and would like to try to breed them. Please give me the necessary information.

Bill Peters,
Wappingers Falls, New York
A. Although your killifish are doubting

A. Although your killifish are doubtless members of the genus Fundulus, the com-mon name "banded killifish" is applied to



ELIMINATE THOSE HARD WATER PROBLEMS with . . . RILA WATERSOFT POWDER

- · Softens water easily and economically with complete control
- Removes only those chemicals responsible for hard water . . . does not remove other elements essential for fish and plant life.
- · Economical way to make soft water to replace aquarium water lost

RILA PRODUCTS P. O. Box 114

Tropical Fish Hobbyist

several species. Considering your location, V. beteroclitus, the webra hillie, and V. misalis, striped hillie, are the most likely species. In either case spacning is too diffusils. Spanning takes place at about 70 degrees. Sea salt should be added to the water at the rate of one tea-spoon for every two gallons of water. Eyes are laid in plants and hatch in about 1d days. Newly hatched brine shrimp is an excellent first food.

Dropsy Q. I have had several black mollies that have died with puffed-out scales which I think was caused by dropsy, but they have holes in their sides as if there were something cating them from the inside. Is there something in the worms that I feed them that could cause this?

Harold W. Meyer.

A. Mollies are notoriously susceptible to dropsy. As to the holes, it is difficult to

WATERLILIES the loveliest The loveliest

of all flowers that can be grown at home. Exquisite jewel-like colors. Nearly every bloom reaches perfection. Easy to grow in tub, pool or farm pond,

Exotic Fishes

Many varieties of tropical fish and goldfish including hard to find Lion eads, Orandas, Celestials, and Pearl scales.

Write today for your free copy of new colorful 1969 catalog.

THREE SPRINGS FISHERIES, INC.

THY TROPICAL ROAD, LILYPONS, MD. 21717

know whether they were easen from the outside in or the inside out. Most aquarium fishes are scavengers when it comes to the corpse of one of their fellows, and the first part eaten is usually the abdomen with the internal organs. I am inclined to think this is what happened.

is what happened.

Julii Spawning

Q. My Corydorar julii spawned in a 15gallon aquarium in which I was keeping
guppies. I found eggs, eggs and more
eggs on the sides and on the plants. I
removed all fish from the tank and
added three drops of methylene blue per
gallon of water. About 15 eggs have
hatched and the fry are doing well. All
the rest of the eggs fungused. The pH
of the tank was 7.4, the temperature
between 78 and 80 and the DH was
about 20.

- about 20.

 1. Why did all of those eggs fungus?

 2. How much time does it take for the female to be ready to spawn again?

 3. What is the best diet for Corydoras
- fry
- Is it rare for C. julii to spawn in a

community tank? Richard Beresford, Altadena, California

A. 1. The eggs probably fungused because they were not fertile. They were probably not fertile because there were not enough males present to assist the female. Two or three males per female is best.

Corydoras julii



FOR ACCURATE, RELIABLE TESTING: RILA WATER HARDNESS TEST KIT

Teaneck, N. J. 07666

69

May, 1969

2. The female will spawn in about two

3. Frozen baby brine shrimp is an excel-lent first food.

4. The Cotydotas species do not require privacy for spawning. When they are eady, not much can stop them.

Water Problems?

Q. I have a beautiful 20-gallon aquarium which has meant 20 gallons of problems! The water is constantly high in alkaline pH. I was told to use sodium highosphate to correct this, but as soon as the water is all right, it goes right back to the alkaline side. I was told that as the water is all right, it goes right back to the alkaline side. I was told that aging the water would take care of the alkalinity, but I tried it to no avail. My neighbor across the street keeps fish and she draws water right from the tap and pours it in, and she has the healthiest fish I have ever seen. As a sisult of my very poor water conditions, my fish are colorless, inactive and won't breed. I can't keep live plants. Can you help?

JIII Smith,

Elburn, Illinois

A. Very frequently aquarist blame water for their problems when there is nothing wrong with it. The problem is more likely to be improper feeding or tank care. Adding too much sodium biphosphate can result in todium poinomig. The Jact that your neighbor has no problem with the water ought to tell you clearly that something else it wrong. Try listening to her advice, and take it.

Lyretail Swords
Q. I have a male lyretail swordtail that has the characteristic modified gonopodium. It is crumpled slightly at the end. I have seen this in other lyretail swords. What causes it and does it cause infortility.

Paul O'Brien,
Somersey, Massachusetts
A. The genopodium is a highly evolved
structure designed to do one thing: transfer
sperm. In the gemus Xiphophorus the



GROW YOUR OWN FISHFOOD!

PAST STICKS MAIL SIRVING We get your order in the marring and this it is you in the Attendor. Where else has you find much feel persons it is attended. Where else A year five that their services () the class aways recovered a part of the class () the class ()

Interference and Form 1220. Learning by June 1, 1979. See Sub-three section 1, 1979. See Sub-

The series of the series from \$25.00.

Septimize Series ALAS, Send Series, Fast-genering, warmen strong, these type The series Telephone (series, fast-genering, series, fast-genering, fast-generin

To the total cost of your order, and 30c for handling and invalidated container. If wanted, and extra 30c for armail and/or 30c for special delivery to your door.

AQUA ENGINEERS

BOX 1. ORTONVILLE MICH. 48462 U.S.A.

Tropical Fish Hobbyist

generation works with one warral fin to ferm a timb through milest the sperm packers are transferred. Obviously when the generation suggests the correlate, the 7th housess sterile. The correlate and does not help either. The cause is the same gene that easied the lyrestial characteristic. These males are probably fertile only when vasues.

Q. I have six honey gouramis. I think that I have a pair of them, 1. When in the process of condition-ing them, what sort of food would you

suggest?
2. How large an aquarium should I

use to breed them in?

3. What should I feed the newly hatched fish?

Bulk Tropical Fish Food

SPECIAL MAIL ORDER OFFER I OHE FOUND BAGS FAHOUS VARIETY FACE \$10.00 FOST PAID AND BUTY FREE OR I OHI POUND BAGS OUPPY FOOD \$10.00 FOST FAID OUTF FREE OR OHE FOUND GUPPY FOOD \$3.50 POST FAID UNITS FREE.

Apparium Steven and Matchesian, special prices 10 Ib. hop-shipped Auto beight duty fron Send for description price list.

art & Howes Ltd. 369-Steveston Highway hmand, B. C., Canada Tel. (604) 277-4221

4. What book contains information out this species?

about this species?

Mark Shigeoka,

Mark Shigeoka,

Walalua, Hawaii

A. 1. There is no special food for conditioning fishes. Most advanced aquarrist
do not find it necessary to "condition"
their fishes because they never let them get
out of condition. Honey droofs are carniverous and should be fed such things as
tubifes, brine shrimp and daphosia.

2. A five-gallon is large enough.
3. Feeding any of the ladyrinth fishes
just after they hatch is unfortunately a

Honey gouramis, Colisa chuna







matter of luck. If you are lucky at produc-ing infusoria, that is a good first food. If you have difficulty in culturing these enganisms, there are several brands of good fry food available. It is very import-ant not to feed this food too long, because the fry soon out grow it and starve. Small quantities of live nearly hatched brine shring should be offered with the tifusorial or tube food. When the pink color of the bellies of most of the fry indicates that they are eating the shrimp, the first foods should be discontinued.

4. Breedling Aquarium Fishes by Dr.

4. Breedling Aquarium Fishes by Dr.

4. Breeding Aquarium Fishes by Dr.
Herbert R. Axeirod contains an excellent
photographic record of spanning this species.

Tricolor Shark
Q. I have been keeping a tricolor shark
in my community tank. I cannot find
any literature on this fish. What can you tell me about it?

Mrs. Joseph Maniskas Davenport, Iowa



A. You are probably referring to Balantiocheilus melanopterus, which is also called the Bala shark. The fish is listed in Exotic Tropical Fishes. This fish was first imported around 1955 and is a member of the barb group. It is found in Thailand, Borneo and Sumatra; it reaches a length of about 14 ireches, but awarding its reconstructions around you about half aquarium specimens grow only about half that length. There have been no reported

Worldwide **Exotic Fins**

BREEDERS ANGELS MATED PAIRS \$45.00 55.00 45.00 55.00 40.00 50.00 35.00 45.00

GUPPIES

Large Broadtail—True Breeder, Greens, Reds, Blues, Toxedos & King Cobras, per trio—\$15.00.
Fish unitshed can be furnished, of special order. Price will be guided on request,
On special orders give both common and scientific name of fish, Guaranteed live delivery.

HOBBYISTS

e direct from breeder and importer. We have been breeding and importing show fish for or teenty years. W. Khow Olds FISH AND Olds FISH AND OLD THE PREST, all shipmorts made to realist a rival time, green, customer will be notified in Schance, all shipment, and creatimate arrival time,

approximate arrival time.

SHOW FISH

Large show bettas 3" and up, assorted colors, 4 for \$25.00; Large show guppies, 6 to 8
menths old, assorted colors, 4 for \$25.00; Biscus Blue Neckel, 4" bodies and up, 7 for
\$15.00,00 bloscy, 4" bodies and up, 2 for \$50.00; Haming Fire \$49, \$50.27, each \$25.00 klewing, 5 to 12", each \$25.00 klewing, 9 to 12", each \$20.00 klewing, 6" and up, each \$20.00 klewing calls \$10.00 klewing calls \$

WARL YOUR ORDER TODAY, CHECK OR MONEY ORDER. NO C.O.D.
WORLD WIDE EXOTIC FINS - P. D. BOX 407 - BRADENTON, FLORIDA 33505

73

Tropical Fish Hobbyist

Plant Problems

Plant Problems

Q. I have had Amazon swordplants and temple plants in my aquarium. After they have been there for a week or so, they lose their color and disintegrate.

Sometimes the leaves have been slightly chewed by fishes. Could this be the reason for the color change and disintegration?

Dance E. Perry.

A. Unfortunately you do not mention whether other plants fare better in your aquirium. It is very unlikely that the fishes do any seal damage. Check on lighting conditions. Another possibility is inguing conditions. Another positionity is that the water in your aquarism is getting too "thick" as the result of replacing evaporated water over a period of time. This is especially true if you use a water softener. Most aquarists agree that a partial change of water each week is good

Recessive Genes
Q. Why are some baby guppies born
gray while others from the same brood
may be gold or white?

may be gold or white?

Cheryl Paul,
Ellensburg, Washington
As Gray is dominant to all of its mutations.
As a result a gray guppy can carry receiving genes which are not expressed until the fish is mated with a fish carrying a similar recessive gene. If both fish are hybrid for the gene, i.e., they both appear

gray but carry the recessive gene, the off-spring will be 75% gray to 25% gold or albino, depending on what the recessive gene is.

Black Acara
Q. I have two black acaras (Acquidens
portalegranis), one four inches long
and the other five inches long. These
fish have been kept in a 29-gallon



Black acara, Aequidens portalegrensis. (Also called

- too young?
 3. What size can they attain?

Please Mention T.F.H. When writing to Advertisers DEPENDABLE and SURE... PREVENTION and CURE AQUA-BIOTICS



aquarium and recently killed two five-inch-long blue gouramis. The acaras were moved to a ten-gallon aquarium of their own.

1. Are all black acaras this vicious?

2. Will they try to spawn, or are they tro young?

Salt Lake City, Utah
A. In your care, I would sugest using
water from the Great Salt Lake for Utah
shrimp, Is we want to raise Cabifornia
shrimp, use one of the many artificial sea
salts in the strength suggested on the box.
Brine shrimp may be fed wantil quantitie
of yeast, either dried or cake form. It takes
about one mouth to raise the shrimp to
adult size. Dwarf Molly

stitutes?

Q. About two years ago I bought a pair of marble mollies. The female gave birth to six young. They are now full grown, but one is less than three fourths of an inch long. Can you explain this?

Aquarison specimens reach about five

4. Try floating plants. How long they will last with this species is questionable. Raising Brine Shrimp Q. In the October 1967 issue of TFH there was an article on raising brine shrimp which suggested adding mineral water to the salt solution and to feed the shrimp and the plant of the p

shrimp algae. Both are sometimes difficult to obtain. Are there any sub-

Jeff Brunner, Salt Lake City, Utah

inch long. Can you explain this?

John Kilgore,
Rocky River, Ohlo
A. To give a really scientific antoer, it
would be necessary to run complicated
tests on the fish in question. There is a
possibility that this individual did not produce a sufficient quantity of growth hormone and as a result remained abnormally

small. Fishes are not so different from people. Look at an average crowd and you will find some very large and some very small.

4. The smaller fish keeps ramming his ead into the aquarium cover. How can prevent this without lowering the rater? water? Paul Freyer, Wauwatosa, Wisconsia A. 1. There are always exceptions to any generality about fishes, but black acrass are nearly alreays tough customers expecially when they are in the breeding mood. 2. Size is probably more important than age. They are big enough. 3. They reach ten inches long in nature. Autorium.

May, 1969

Green Fish?

Q. My science teacher says that algae grows on fishes. I say it does not. Who is right?

is right?

Ty French,
Frostproof, Florida

A. I have never heard of any kind of
alga growing on fresh water fishes. If any
reader can cite an authority for this, we will pass it on.

Mylossoma "Piranha"

Q. I have two young Mylonoma duri-entris piranhas and I am having trouble keeping the aquarium gravel clean. If I put one or two catfish in the aquarium would the piranhas attack them?

Steve Heckman, Des Moines, Iowa



or West of the Rockies. 1 lb. \$1.19

AQUARIUM STOCK COMPANY, inc.
31 WARREN ST., NEW YORK, N.Y. 10007
8070 BEVERLY BLVO., LOS ANGELES, CALIF.

Mylossama duriventris

A. The term "piranha" is a complete minoner when applied to this species. M. duriventris is not a carminorous species. As a matter of fact, when they get large they may ear every aquarium plant you have. By all means, put the cassish is, as well as any other fish which would brighten up the tank.



The big 10 advantages: 1. An ample continuous supply of oil-free air for several fanks. 2. Procision-built for long-life, quiet specialion. 3. Rotary positive displacement. 1. Process of the continuous and process of the continuous and process of the continuous and the continuou

Write or phone for details: CONDE MILKING MACHINE CO., INC. Dept. PM. Sherill, N.V. 13461 Tel.: 315/363-1500

CONDÉ PUMPS

Veiltail Swords
Q. I have three hi-fin veiltail swords
which are gravid at this time. I am
hoping for the best. Theims Simpson,
developer of the hi-fin swords, has seen
these and said they were quite nice. Of
course, I feel that TPH couldn't care less,
unless I were a well known breeder or a
well known doctor. Anyway, have veilwill swords been marketed? tail swords been marketed?

Irene L. Gorman.

Irene L. Gorman,
Los Angeles, California
A. To the best of my knowledge, cellisis
words have not been affered, at least not
compicuously. Titl is not interested particularly in covering its pages with
information and photographs of strains of
fishes which may disappear unmorrow. This
could very easily happen when there are
only three such fish in existence. When you
have enough breeding stock to distribute to
wholesale breeders, have color slides tashen
of them and curie up your experiences and
send book to TFM. That is how the well
known.

Hydra
Q. Please tell me where hydra comes from and how to get rid of it. I found it in an aquarlum, so I set up a new aquarlum, filter and everything. The only things in the new aquarlum that were in the old one were the fish which were dipped in something to get rid of parasites. Even the net was new, but still the hydra came back. Please help.

Bather Koffron,

still the hydra came back. Please help.

Eather Koffron,
Chicago, Illinois

A. When you used the near net you had
to put it in the old aquarimon to each the
fish. In the process the net doubtless
caught a number of hydra which were not
killed by the "iomething" you dipped the
fish in. When you sneed the fish to the
near aquarimon, you also moved the hydra.
Some authors say that the blue guarami
eats hydra, others say it doesn't. A suremethod of eradication is to add a solution
of 7 milligrams of copper sulfate per



galion of water in six equal doses oriser a period of three days. Watch the fishes carefully and remove any! that show breathing distress. Two days after the last hydra is seen, change 50% of the water.

Lyretail Sphenops
Q. I want to know if there is a fish called a lyretail sphenops molly. I have developed four such fish, two males and two females. Could you tell me if there is such a fish on the market?

Karl Fechner,
Garden Grove, California
A. Lyretail sphenops have been affered by wholesalers for some time and are becoming very popular because they are more easily raised by aquarists than are lyretail saiffns.

awning Zebras

Spawning Zebras
Q, I attempted to spawn zebra danios
Q, I attempted to spawn zebra danios
ty the following method. I put two
layers of marbles on the bottom of a
large fish bow with three inches of water
over the marbles. The male and female
were added and after twenty-four hours
were removed. I could find no eggs.
What am I doing wrong?

Dan Schultz,
Sturtevant, Wisconsin



May, 1969

Famous for the four most modern, attractive stores in the east.

Famous for the MULTI-LINE of medications and aquarium prod-ucts for the health and comfort of your fish.

Famous for salt-water fishes from the world's tropical

Famous for rare species of tropicals shipped direct to us from all over the world.

Famous as specialists in Killifish breeding.

When in New York, stop in to see our new, modern aquarium facilities and our extensive display of rare and beautiful fishes.



77

Tropical Fish Hobbyist

A. You could be off in a number of matters, It is best to separate the female from the male and feed her very well for about a week before attempting to spann her. Your temperature may have been too long 25 to 80 degrees is best. Most breeders use two males for each female. Another possibility is that you did not recognise the eggs when you sust them. Next time carry on at though there were eggs even by you don't see them. If you see no fry within a week, then you can try series.

Croaking Gourami
Q. I recently spawned a pair of croaking gouramis. The male built a nest in a 20-gallen community stank. Mating followed the procedure outlined in the August 1908 issue of TFR, except after one night the male moved the eggs to the back of the aquarium. There he packed them into a tight ball. The next morning he enlarged the nest by adding

PET TOWNE QUALITY TROPICALS IN 5 LOCATIONS

- . 776 State St. (Rt. 20) SPRINGFIELD
- . 1655 Boston Rd. "Eastfield Mall" SPRINGFIELD

Connecticut:

- 671 Silas Deane Hwy. (Rt. 9) WETHERSFIELD
- 544 K Windsor Shopping Plaza in the mall. (Rt. 5A) WINDSOR
- (Rt. 69) Waterbury Ave. PROSPECT Come See Us — Soon and Often

bubbles. These fish are really something to look at and it is a shame that they are not more popular.

Gainesville, Florida A. Although you ask no question, a com-ment is in order about the popularity of



Crooking govram

fishes. Aquarists who are interested in more unusual fishes frequently complain that their dealers do not carry anything but the common varieties. One news around this is to place a transling order with your dealer telling hun fish you would like to have. Give him a healthy deposit to show you are serious. It might tasks several months, because the fish you want may not always be available. If your dealer is not willing to try to find the series for you, it would be a good idea to find one who will.

Aphyosemion australe
Q. 1. After the female Aphyoses australe has deposited her eggs in the spawning mop, how do I get the eggs off

2. I have a book that says to put the

2. I have a book that says to put the eggs in some water with a drop of fungus medication. How deep should the water be for this to be effective?

Gary Richardson, Chicago, Illinois A. I. Many aquarizis sort through the map strand by strand and remove the eggs with their fingers. A small pair of tweezers can also be used; run the open

May, 1969



middle section of the trocezers along the strand to which the agg adheres smill the agg is lifted on the trocezers.

2. The depth of water is really of little importance as long as the aggs are concred. If you are concerned about the concentration of fungus remodey, the aggs seem to do as well with several drops ag one.

Basement Plants
Q. My tanks are situated in the basement and get very little light. Once in a while they get a little sunshine through a window. I cannot afford a reflector. Are there any plants which will grow in such an environment?
M. C. O'Connor, Springfield, Masanchusetts
A. The best bet would be members of the genus Cryptococyce. Some species thrive number very low lighting conditions.
Arowana
Q. 1. I have an arowana which is one foot long. It is in a 70-gallon aquatium.
Could I put two red devils with him?
2. How about tinfoil barbs?
Brian Walton,
Manhattan Beach, California
A. I and 2. It should be safe to put anything in the aquarium that he could not sent smallow. That limits the selection a good deal.

0 0 0

ARE YOUR FISH SICK?

MEDICATION AND TREATMENT?

NO GUESSWORK INVOLVED WHEN USING RID-ALL

o THE GENERAL PURPOSE MEDICATION

different remodes when "BID-ALL" is the accordance of ids. Fig. 8. To 8. To 8. Sept. S

Why use a dozen different remedies when "RID-ALL" is used for the positive control and the prevention of Ick, Fin & Tail Ray, Valver, Body Hunger, Clamped Fins, and other fish dissues. Simple o use: Let "RID-ALL" do the work. No need to shot off lights, air,

O "RID-ALL" the liquid cure
TREATS YOUR FISH FOR LESS THAN ONE-HALF CENT FER GALLON
If Unable to Obtain From Your Deuler, Send \$1.00 Ter.

ARSAN RESEARCH originators of "SNAIL - RID" 375 S. Hanlen, Westland, Michigan 48185

mparium. How is this done?

Dane Jackson,
Audulon, New Jersey
A. If the wood is from fresh toster, it need
use be reasted beyond cleaning it. If it is
ant mater disfuseed, it must be soaked
in freshwater until all the salt is leached

lige Stripping
Q. I have heard of stripping eggs from
fish. Can this be done with an active
fish like the penil danio, and if so how?

Mrs. Loraine Nunn,
Toronto, Canada
A. Stripping eggs and milt from mull
fishes is untally done with the idaa that the
fish will be killed. Ripe fish are held by
the head with the genital opening in a
unual container of mater. The sides of the





fish are stroked from head to tail gently.
This will force the eggs or the milt from
the fish into the container of water. When
one tax has been stripped, the other is done
in the same manner. The sex products are
allowed to mix for several minutes and
the eggs are then placed in an aquarium
to hatch.

Short Gill Plates

Short Gill Plates
Q. I am writing in hopes that you or one of your colleagues can answer the following question. Can you tell me what causes short gill plates in angels? I am currently raising about 5 or 6 thousand angels a month, but I could double or triple this figure if I didn't have to dump the deformed ones. My breeders are raised in hard albaline water, given the best of live food and they spawn regularly. I keep records of the spawns and one spawn out of a pair will be good and the next spawn will be nearly 100% deformed.

Dennis J. Hannon,
Jacksonville, Florida
A. My bet is that this is herediary in spite of the fact that it dean't shom up in

why see is that this is necessary in spite of the fact that it doesn't show up in every spaten. To check this yourself, try some breeding stock unrelated to yours and see if the condition doesn't disappear.

Archer Fish

Q. I have an archer fish which I feed baby fish. Although the dealer had it in a freshwater tank, most references say

Thai Tropical Fish Limited Partnership

EXPORTERS of all kinds of TROPICAL FISH and PLANTS INQUIRIES INVITED

No. 1595/3 Kasemsuwan Lane, Charoen Nakorn Rd., DHONBURI, Thailand Tel. 63392 & 63979 Cable Address: JUKIANGGOH

Archer fish, Toxotes jaculator

brackish water should be used. Will you comment on this?

brackish water should be used. Will you comment on this?

Richard J. Sharp,
Yukon, Okiahoma
A. Although the archer Joh seem is adapt itself to fresh water, in nature it is found in brackish water must of the time.
They are said to sparse in completely salt water with very young archers sometimes found in completely fresh water. Because the fish come from water with with salt water fish very from water with some salt content it is well to assume that this would be the best for it. Archer fish hope in completely fresh water send to have various fresh water send to have various be used, I prefer to use one of the synthetic mixtures designed for use with marine thice. One caupons of the salts per gallon of water would be a good starting point; if sike discusses somed to be a problem, the concentration could be increased two or three times. Chameing the concentration or three times. Chameing the concentration or three times. Chameing the concentration or three times.

Teo Way Yong & Sons, Ltd.

Importers & Exporters of Fancy Tropical Fishes, Wild Birds & Animals

28, Yio Chu Kang Ro Singapore 19 Cable Address: "CATFISH" SINGAPORE

conditions.

Plant Lights

Q. We have been using a plant light and someone said that it burns the fish. I bought a regular tube, but when I turned it on, the fish seems to go behind objects to get away from the light. Will you please comn

Richard Hawtherne,

Richard Hawtherne, Independence, Missouri A. There are enough uperstitions in the hobby without new onest developing. There is absolutely no evidence that the plant lights have adverse effects on fishet. There are many thousands of aquarists using these lights and if they were harnful it would have been reported long before now. Go back to your plant light, Your plants will grow better and your fish will look better too.

Attention:

AQUARIUM & PET SHOPS EVERGLADES

has been in business




YEARS

and wants to serve you!

Bonafide DEALERS please write for our wholesale list using your letterhead. Your name will be placed on our Mailing List.

NO RETAIL EVERGLADES AQUATIC NURS., Inc. P. 0. Box 587 Tampa, Fla. 33601

81



80

DEALER **INOUIRIES** INVITED

Over 150 Photographs All Taken in the Author's own Aquariums

revised edition

new

• 300 Pages • Latest Information on Live Corals, Plants,

Diseases . New Breath-taking Color Plates

coral reef exhibits

P. O. BOX 59-2214 (AMF BRANCH) MIAMI, FLA. 33159

May, 1969

YOUR FISHES' HEALTH

Lymphocystis

Lymphocystis is a viral disease which can occur in both freshwater and saltwater aquaria. Some examples of both types of fishes most often affected by lymphocystis are:
Freshwater Saltwater
Paradise fish Butterfly fish

Discus Dwarf cichlids Clownfish Sunfishes

Angelfishes Scat

While its ability to cause disease in both fresh and saltwater fishes makes the lymphocystis virus un-usual, its effect on the fish cell is even more interesting.

In order to live and reproduce, a virus must get inside a living cell. Once inside it steals food from the cell for its own use. Some viruses take so much food from the cell that the cell dies.

Lymphocystis virus is different, It causes the cell to grow. The fish cell infected by the causative virus may increase its size by 10,000 times or more. Such enlarged cells can actually be seen with the naked eye and can be confused with that all-too-common "Ich." With a strong magnifying glass or a micro-scope, "Ich" can be seen moving under the skin. No movement can be seen with lymphocystis cells.

A fish with a mild infection may

show only a few spots resembling, as we have said, "Ich." A heavily infected fish may have so many "lymphocystis cells" that they form growths resembling tumors. Such eavy infections make the fish look bad but are not usually fatal. At the usual aquarium temperatures, the

Please mention T.F.H. when writing to advertisers



will thrive

FREE CATALOG in your tanks.

Otto C. Beldt Bee Fork Water Gardens Rt. 5 - Box 33 Bunker, Mo. 63629

Tropical Fish Hobbyist

lymphocyana cell usually reaches its maximum size in about one month. After this, the cells begin to burst or to slough off until there is no sign of the disease on the fish. When these cells are lost, they re-lease millions of virus particles into the water. These in turn infect new fish. The fish which had the infection show neither scars nor discoloration to indicate where the infected cells were.

While this disease is not usually fatal and the growths do disappear, it is desirable to eliminate the disease from your aquarium. As with viral diseases of higher animals, there is no drug which will cure lymphocystis. It is necessary to destroy infected fish or to keep them in a separate container and to dis-

in a separate container and to dis-infect the community tank.

Many aquarium owners will never see this disease, but it can occur and can be confused with "Ich." Perhaps it would account for some of the "stubborn Ich" cases which are so hard to cure.

FISH FARMERS, WHOLESALERS ☆☆☆ FOOD DEALERS...

Get a FREE listing in our annual Pet Directory. Form sent free on request. Over 250 pages. Our monthly trade magazine goes to pet shops only. Es-tablished 1946. Subscription rates upon proof of doing business at the retail or wholesale pet or pet supply level.

PET SHOP MANAGEMENT, INC. P. O. Box 109, Fond du Lac, Wis. 54935

SUPPLEMENTS TO EXOTIC TROPICAL FISHES

The first 100 supplements to EXOTIC TROPICAL FISHES are available in seven Supplement Books, each containing a minimum of 32 pages. Supplement Books are available at \$1.00 each. The individual supplements they contain are prepunched with holes to fif the EXOTIC TROPICAL FISHES binder, and each supplement is paginated and marked to show exactly where it should be placed in the master volume.

Because EXOTIC TROPICAL FISHES, T.F.H. Publica-tions' comprehensive storehouse of aquarium knowlcourse exo IC IROPICAL FISHES, T.F.H. Publications' comprehensive storehouse of aquarium knowledge, has been published in looseleaf form, allowing the addition of valuable knowledge about fishes and plants that are new to the aquarium hobby, you can keep your copy of EXOTIC TROP-ICAL FISHES (or the copy you give as a valued gift to a friend or relative) completely up to date with handy Supplement Books.

TFH, 245 Cornelison Ave. Jersey City, N. J. 07302



Tropical Fish Hobbyist

The EXTRA in Miracle products is the people who sell it.

There are about 40,000 places in the U.S.A. where pet products are sold: 5,000 pet shops, 10,000 5c and 10c stores, 2,000 drug and discount stores, and 23,000 supermarkets where a small rack offers the housewife a convenience. Miracle products are not available in all of these outlets.

Miracle sells its products through pet shops where live fish are sold . . . and not every pet shop can sell Miracle. We require our potential customers to fill out a complete business profile. We want to have the NAME AND ADDRESS of the man in charge of the fish department so we can telephone him if we have a problem. Most pet shops are personally visited by a Miracle representative before we accept them as a customer. You see, we know that our aquarium hobby has a future only as long as the uninformed beginner has a future.

So you'll find Miracle products only at pet shops with know-how. This is usually your neighborhood pet shop where you are served by the man who owns the store . . . he's probably more of a hobbyist than you and he knows how to help you solve your problems.

He is the man who made Miracle the success story of the pet industry.



You don't need

live sewer worms in your refrigerator! You now can get them Freeze-Dried, Cleaned . . . and Cheaper.

MIRACLE FREEZE-DRIED TUBIFEX available at pet shops only



MIRACLE PET PRODUCTS, INC., Box 33, Jersey City, N. J. 07302

The Newest Oldest Fish Food... Fairy Shrimp

by Dr. Herbert R. Axelrod

Ever since I became involved with aquarium fishes as a livelihood more than 20 years ago, I had always considered the feeding of fishes in captivity the key to proper health and breeding success. Now, after these twenty years, I am more convinced than ever that feeding is extremely important.

It goes without saying that the great successes we are having breeding many freshwater tropicals is a direct result of the availability of good foods. The first big stride forward in fish breeding came with the discovery that it was economically feasible to harvest, pack and sell the eggs of the brine shrimp, Artemia, to fish breeders all over the world. These eggs are hatched and the nauplii are fed to the newly hatched fishes. Prior to this time, messy infusoria was used and a lucky 25% of the fish spawned MIGHT grow to maturity. With freshly hatched brine shrimp, 60-65% could be reared. With the invention of freeze-drying of fish foods, this score is even higher.

With the invention of freeze-drying of fish foods, this score is even higher. Freeze-drying, the process by which live-frozen foods are preserved by evaporating the ice directly into steam without going through the liquid stage, preserves the flavor and nutrition of foods and sterilizes it by killing most of the bacteria and fish parasites found in all brine shrimp and tubifex worms.

Now a new food is available. Not new in the scientific sense, but new in terms of its being available in quantity for the fish hobbyist.

This new food is called FAIRY SHRIMP. Fairy shrimp are crustaceans (class Crustacea) belonging to the subclass Branchiopoda, and are further categorized into the order Anostraca. They are very closely related to brine shrimp and belong to the same order.

Branchiopods breathe through their "feet." The feet are leaflike and have

Branchiopods breathe through their "feet." The feet are leaflike and have a number of lobes dividing them. Each lobe has a kind of gill plate which serves to supply the necessary exchange of gases we call breathing. Most branchiopods are freshwater forms that live in closed bodies of water. All have wonderful eggs which are protected with drought-resisting properties which make them almost completely impervious to heat, light or desiccation. All species produce eggs which require drying before they hatch, and most of them produce two distinct kinds of egg.

The summer eggs are the vegetative, asexual eggs. These eggs are produced in tremendous quantities when compared to the winter eggs (which are sexual). Summer eggs almost always hatch out to be females since they were produced alone by females and have no male elements whatsoever. The winter eggs, too, usually produce females, but many males are also evident. Brine shrimp eggs of the best quality are winter eggs in which many males are present.

There are many species of fairy shrimps to be found all over the temperate world. They are characterized by their lack of a hard shell, called the "carapace," and they are the perfect fish food because they have more "meat" than brine shrimp. They appear in many color varieties, dependent upon their diet. The light-colored fairy shrimp are found mostly in the U.S.A. and they have more body weight and fat content than the reddish ones from Taiwan and the surrounding areas. Both, though, are ideal fish feeds.

Hobbyists over the years have used live fairy shrimp as fish food when they could find them. Interestingly enough, the first successful breeders of angelfish and discus fed their breeding stock live fairy shrimp and indicated the first years are due to the feeding of this very partitions, crustages

that their success was due to the feeding of this very nutritious crustacean. There are now freeze-dried fairy shrimp available in most pet shops which specialize in tropical fishes. Mirade makes one brand; Taiwanese companies market other brands. In my tests, the three brands I have tested yielded equal results, but all must be used properly to get best results. I recommend that before the fish are offered the fairy shrimp, the shrimp should be seaked in warm or hot water for about 5 minutes so hard, dry skin can soften and make it easier for the fish to eat. If you feed them directly to the fish, many fish will hold them in their mouths until they become soft enough to swallow. This soaking has other values, too. As is characteristic of freezedried fish foods, fairy shrimp float. While this prevents over-feeding and keeps your tank from pollution, it starves the bottom feeders and the surface feeders get all of the food. By soaking the food in hot tap water, I found that all the fish were able to get some and without exception they thrived on it. I was especially happy to see that fairy shrimp are accepted as a natural food by the insect-eating fishes (hatchet fishes especially) and with this new food I predict we'll be hearing about new spawnings of the hard-to-breed insect-eating species which haven't been bred before the

with this new food I predict we'll be hearing about new spawnings of the hard-to-breed insect-eating species which haven't been bred before.

The species which will eat this food, while not doing so well on other foods, are primarily the African cichlids whose natural diets are primarily insects, the hatchetfishes (silver and marble hatchets, especially), and many of the saltwater coral reef fishes.

At present, a 15 gram plastic vial of fairy shrimp sells for 69¢. It is available only through pet shops; the 5¢ & 10¢ stores and supermarket pet racks don't offer this product.

89

Fantastic Freshwater Crabs for the Aquarium

BY PETER TSANG



A tank containing the freshwater crabs must be arranged so that the crustaceans can get out of the water from time to time. This photograph was taken from directly above a piece of rockwork which served as a gathering place for the crabs in one of the author's tanks. Photo by Peter Tsang.

92

About two months ago, some friends and I were looking for fishes out in the country in the far north of Queensland, Australia. At one point, we came to a river, and just as we approached the bridge that crosses it, I saw a lot of movement and an occasional flash of very bright color on the river bank. Naturally, we stopped at once to investigate.

For a moment, we stood in awe looking down from atop the bank. We'd never seen anything like them before . . unbelievably colorful freshwater crabs! We dashed down into the mud to each some of these little gems of life. It was pretty uncomfortable because the whole area was full of sharp rocks that cut into our feet, Worst of all, there were millions of sand flies bitting us relentlessly. But, at that point, I don't think anything could have stopped us as we excitedly gathered up a number of the remarkable little crabs.

I believe these colorful crabs must be a mutation from the normal, drably colored type which outnumbers them 5 to 1 in their natural habitat. The drably colored ones are identical in shape, size and even in pattern to the colorful ones. However, the only color in the drab form is a bit of brilliant red on the tip of each of the two largest claws.

Of the 30-odd crabs we caught and placed in my home aquarium, only about half a dozen died in the first few days. The remaining ones are still in top condition up to this day. In their tank, I have a large rock that reaches out of the water from the bottom and, also, a few pieces of floating driftwood. This arrangement allows the crabs to get to the surface of the water for a breath of air whenever they want it.

I also have a fair number of fishes (mostly guppies) in the tank and, so far, have not lost a single one. As a matter of fact, the crabs are not the least bit interested in the fishes. However, each day at feeding times, the crabs become extremely active as they try to get at the good before the fishes do. But the fishes always win the race. Nevertheless, the crabs never starve because they always manage to pick up the leftovers, making them excellent seveneers.

always manage to pick up the leftovers, making them excellent scavengers.

Little is required to keep the crabs happy. The water they come from was fairly hard and alkaline, much like the water in which saiffin mollies are happiest. However, like most crustaceans, they will probably adapt themselves to all but the most severe conditions. They eat anything that falls to the bottom. The only absolute "must" in the success of keeping them is some way in which they can reach the surface and stay there for a moment or two. Plants, rocks, or driftwood may be used to serve this purpose. Hiding places are not necessary, but the crabs must not be kept with large fishes that have an appetite for invertebrates.

You are probably thinking that you would like a few of these little crabs for your aquarium. If so, I have good news for you. Plans have been made to export them in fairly large numbers so that aquarists all over the world can enjoy their great beauty. Here's hoping you enjoy yours as much as I do mine.

Contest Winners



Close-up by John R. Lawson, Cleveland, Ohio.



Your name should be on the cover of this magazine



If it isn't, mail the coupon

Subscribers receive every issue of TROPICAL FISH HOBBYIST without fail.

TROPICAL FISH HOBBYIST
245 Cornelison Avenue, Jersey City, N. J. 07302
Enclosed please find check, money order
or cash for:

Sample copy - \$.50

- ☐ 12 issues of Tropical Fish Hobbyist, \$ 4.00
- 24 issues of Tropical Fish Hobbyist, \$7.00
- 60 issues of Tropical Fish Hobbyist, \$15.00

Street

City

Foreign Subscribers; Add 60¢ per year's subscription.